



**MyTruAdvantage Select (HMO)**  
**MyTruAdvantage Select Plus (HMO)**  
**MyTruAdvantage Choice Plus (PPO)**

**2025 Formulary**

**List of Covered Drugs**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Y0150\_PBM181\_C

ID 00025249, Version Number 14

This formulary was updated on 08/01/2025.

For more recent information or other questions, please contact MyTruAdvantage's Pharmacy Member Services at (877) 403-6035 or for TTY users 711, 24 hours a day, 7 days a week, or visit [www.MyTruAdvantage.com](http://www.MyTruAdvantage.com).

For more recent information or other questions, please contact MyTruAdvantage's Pharmacy Member Services at (877) 403-6035 or for TTY users 711, 24 hours a day, 7 days a week, or visit [www.MyTruAdvantage.com](http://www.MyTruAdvantage.com).

Updated 08/01/2025

**Note to existing members:** This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this Drug List (Formulary) refers to “we,” “us”, or “our,” it means MyTruAdvantage. When it refers to “plan” or “our plan,” it means MyTruAdvantage.

This document includes a Drug List (formulary) for our plan which is current as of 08/01/2025. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025, and from time to time during the year.

## **What is the MyTruAdvantage formulary?**

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by MyTruAdvantage in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program.

MyTruAdvantage will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a MyTruAdvantage network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

For a complete listing of all prescription drugs covered by MyTruAdvantage, please visit our website or call us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

## **Can the formulary change?**

Most changes in drug coverage happen on January 1, but MyTruAdvantage may add or remove drugs on the formulary during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here: <https://www.mytruadvantage.com/information-2025>.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.

- If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the MyTruAdvantage’s Formulary?”
- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.
  - We can make these immediate changes only if we are adding a new generic version of a brand name drug or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).
  - If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to the MyTruAdvantage’s Formulary?”]

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand-name drug currently on the formulary, or add a new biosimilar to replace an original biological product currently on the formulary, or add new restrictions or move a drug we are keeping on the formulary to a higher cost-sharing tier or both after we add a corresponding drug. We may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes

effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the MyTruAdvantage’s Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2025 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 08/01/2025. To get updated information about the drugs covered by MyTruAdvantage please contact us. Our contact information appears on the front and back cover pages. The formularies will be updated monthly and posted on our website at [www.MyTruAdvantage.com](http://www.MyTruAdvantage.com), in the form of a downloadable/printable pdf document. There is also a drug search tool online that is updated as well, in the event of any mid-year non-maintenance formulary changes.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 9. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on 9. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 216. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

MyTruAdvantage covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

## **What are original biological products and how are they related to biosimilars?**

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, “The ‘Drug List’ tells which Part D drugs are covered.”

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** MyTruAdvantage requires you [or your prescriber] to get prior authorization for certain drugs. This means that you will need to get approval from MyTruAdvantage before you fill your prescriptions. If you don't get approval, MyTruAdvantage may not cover the drug.
- **Quantity Limits:** For certain drugs, MyTruAdvantage limits the amount of the drug that MyTruAdvantage will cover. For example, MyTruAdvantage provides 30 per prescription for rosuvastatin. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, MyTruAdvantage requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, MyTruAdvantage may not cover Drug B unless you try Drug A first. If Drug A does not work for you, MyTruAdvantage will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 9. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask MyTruAdvantage to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the MyTruAdvantage’s formulary?” on page 6 for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that MyTruAdvantage does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by MyTruAdvantage. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by MyTruAdvantage.
- You can ask MyTruAdvantage to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the MyTruAdvantage Formulary?**

You can ask MyTruAdvantage to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, MyTruAdvantage limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

Generally, MyTruAdvantage will only approve your request for an exception if the alternative drugs included on the plan’s formulary, the lower cost-sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tiering or, formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.** Generally, we must make our decision within 72 hours of getting your prescriber’s supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we

agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

## **What can I do if my drug is not on the formulary or has a restriction?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90-days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90-days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90-days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

## **For more information**

For more detailed information about your MyTruAdvantage prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about MyTruAdvantage, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## **MyTruAdvantage Formulary**

The formulary that begins on the page 9 provides coverage information the drugs covered by MyTruAdvantage. If you have trouble finding your drug in the list, turn to the Index that begins on page 216.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., MAVENCLAD) and generic drugs are listed in lower-case italics (e.g., lithium carbonate).

The information in the Requirements/Limits column tells you if MyTruAdvantage has any special requirements for coverage of your drug.

<b>Abbreviation</b>	<b>Description</b>	<b>Abbreviation</b>	<b>Description</b>
• G	Generic Indicator	• CB	Capped Benefit
• NM	No Mail Order	• LA	Limited Access
• QL	Quantity Limit	• EX	Excluded Drug
• ST	Step Therapy	• NDS	Non-Extended Day Supply
• PA	Prior Authorization	• Reference Brand Name drugs	Reference Brand Name Drug
• PA NSO	Prior Authorization – New Starts	(show in parenthesis)	
• PA BvD	Prior Authorization Part B vs. Part D	• PA HRM	High Risk Medication

- MyTruAdvantage provides coverage of some supplemental drugs not normally covered in a Medicare Prescription Drug Program. This prescription drug is not normally covered in a Medicare Prescription Drug Plan. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug. Drugs with the abbreviation “EX”.
- **Note:** MyTruAdvantage has restrictions in place for this benefit. To determine restrictions or limitations refer to the abbreviations “EX” or “CB”. This will identify the restrictions and limitations MyTruAdvantage has in place. For questions, please contact Member Services.

## **Table of Contents**

ANALGESICS.....	11
ANESTHETICS.....	14
ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS .....	15
ANTIANXIETY AGENTS.....	16
ANTIBACTERIALS .....	17
ANTICANCER AGENTS.....	25
ANTICONVULSANTS.....	45
ANTIDEMENTIA AGENTS .....	51
ANTIDEPRESSANTS .....	52
ANTIDIABETIC AGENTS .....	55
ANTIFUNGALS.....	61
ANTIGOUT AGENTS.....	63
ANTIHISTAMINES.....	64
ANTI-INFECTIVES (SKIN AND MUCOUS MEMBRANE).....	64
ANTIMIGRAINE AGENTS .....	64
ANTIMYCOBACTERIALS.....	66
ANTINAUSEA AGENTS .....	66
ANTIPARASITE AGENTS .....	68
ANTIPARKINSONIAN AGENTS .....	69
ANTIPSYCHOTIC AGENTS .....	70
ANTIVIRALS (SYSTEMIC) .....	78
BLOOD PRODUCTS/MODIFIERS/VOLUME EXPANDERS .....	85
CALORIC AGENTS .....	88
CARDIOVASCULAR AGENTS .....	89
CENTRAL NERVOUS SYSTEM AGENTS .....	101
CONTRACEPTIVES .....	105
DENTAL AND ORAL AGENTS.....	115
DERMATOLOGICAL AGENTS.....	115
DEVICES .....	120
ENZYME COFACTORS/CHAPERONES .....	170
ENZYME REPLACEMENT/MODIFIERS .....	170
EYE, EAR, NOSE, THROAT AGENTS .....	171
GASTROINTESTINAL AGENTS .....	175
GENITOURINARY AGENTS .....	179
HEAVY METAL ANTAGONISTS .....	180
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING .....	180
IMMUNOLOGICAL AGENTS.....	186

INFLAMMATORY BOWEL DISEASE AGENTS .....	200
METABOLIC BONE DISEASE AGENTS .....	200
MISCELLANEOUS THERAPEUTIC AGENTS .....	201
OPHTHALMIC AGENTS.....	203
REPLACEMENT PREPARATIONS .....	204
RESPIRATORY TRACT AGENTS .....	206
SKELETAL MUSCLE RELAXANTS .....	211
SLEEP DISORDER AGENTS.....	211
VASODILATING AGENTS.....	212
VITAMINS AND MINERALS .....	212

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
<i>acetaminophen-codeine 120-12 mg/5 ml cup inner 120 mg-12 mg /5 ml (5 ml)</i>	1	QL (4500 per 30 days)
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	QL (180 per 30 days)
<i>buprenorphine transdermal patch (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	2	QL (4 per 28 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>endocet oral tablet 10-325 mg (oxycodone-acetaminophen)</i>	2	QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg (oxycodone-acetaminophen)</i>	2	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg (oxycodone-acetaminophen)</i>	2	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg	5	PA; NM; NDS; QL (120 per 30 days)
fentanyl citrate buccal lozenge on a handle 200 mcg	2	PA; QL (120 per 30 days)
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr	2	QL (10 per 30 days)
hydrocodone-acetaminophen oral solution 10-300 mg/15 ml, 10-325 mg/15 ml, 7.5-325 mg/15 ml	2	QL (2700 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg	2	QL (180 per 30 days)
hydrocodone-acetaminophen oral tablet 5-325 mg	2	QL (240 per 30 days)
hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)	2	QL (180 per 30 days)
methadone oral tablet 10 mg	2	QL (120 per 30 days)
methadone oral tablet 5 mg	2	QL (180 per 30 days)
morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)	2	PA; QL (180 per 30 days)
morphine oral solution 10 mg/5 ml	2	QL (700 per 30 days)
morphine oral solution 20 mg/5 ml (4 mg/ml)	2	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
morphine oral tablet extended release 100 mg, 200 mg	2	QL (60 per 30 days)
morphine oral tablet extended release 15 mg, 30 mg (MS Contin)	2	QL (90 per 30 days)
morphine oral tablet extended release 60 mg (MS Contin)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oxycodone oral capsule 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>oxycodone-acetaminophen oral tablet (Endocet) 10-325 mg</i>	2	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet (Endocet) 2.5-325 mg, 5-325 mg</i>	2	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet (Endocet) 7.5-325 mg</i>	2	QL (240 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	QL (300 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg (Celebrex)</i>	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i>	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 % (Arthritis Pain (diclofenac))</i>	2	QL (1000 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> (Pennsaid)	5	PA; NM; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>flurbiprofen oral tablet 100 mg</i>	2	
<i>ibu oral tablet 400 mg</i> (ibuprofen)	1	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)	1	
<i>ibuprofen oral tablet 400 mg</i> (IBU)	1	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)	1	
<i>indomethacin oral capsule 25 mg, 50 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet,delayed release (dr/ec) 375 mg</i> (EC-Naprosyn)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
<b>Anesthetics</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Local Anesthetics</b>		
<i>dermacinrx lidocan 5% patch outer</i> (lidocaine)	2	PA; QL (90 per 30 days)
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)	2	QL (30 per 30 days)
<i>lidocaine topical adhesive patch,medicated 5 %</i> (DermacinRx Lidocan)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (240 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; QL (30 per 30 days)
<i>lidocan iii topical adhesive patch,medicated 5 %</i> (lidocaine)	2	PA; QL (90 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg	2	
disulfiram oral tablet 250 mg, 500 mg	2	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
naloxone injection solution 0.4 mg/ml	2	
naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml	2	
naloxone nasal spray, non-aerosol 4 mg/actuation (Narcan)	2	QL (4 per 30 days)
naltrexone oral tablet 50 mg	2	
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	4	QL (240 per 180 days)
varenicline tartrate oral tablet 0.5 mg, 1 mg (Chantix)	2	QL (336 per 365 days)
varenicline tartrate oral tablet 1 mg (56 pack)	2	QL (336 per 365 days)
varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42) (Chantix Starting Month Box)	2	
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg (Xanax)	1	QL (120 per 30 days)
alprazolam oral tablet 2 mg (Xanax)	1	QL (150 per 30 days)
chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg	1	QL (120 per 30 days)
clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)	1	QL (90 per 30 days)
clonazepam oral tablet 2 mg (Klonopin)	1	QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	2	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	
<i>diazepam intensol oral concentrate 5 mg/ml (diazepam)</i>	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)</i>	1	QL (120 per 30 days)
<i>lorazepam 2 mg/ml oral concent (Lorazepam Intensol)</i>	2	QL (150 per 30 days)
<i>lorazepam 4 mg/ml vial inner (Ativan)</i>	1	
<i>lorazepam injection solution 2 mg/ml (Ativan)</i>	1	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml (Ativan)</i>	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml (lorazepam)</i>	2	QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg (Ativan)</i>	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg (Ativan)</i>	1	QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i>	1	QL (30 per 30 days)
<i>temazepam oral capsule 22.5 mg (Restoril)</i>	2	QL (30 per 30 days)
<i>temazepam oral capsule 7.5 mg (Restoril)</i>	2	QL (120 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg (Halcion)</i>	2	QL (60 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amikacin injection solution 500 mg/2 ml</i>	2	
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	5	PA; NM; NDS; QL (235.2 per 28 days)
<i>gentamicin injection solution 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	2	
<b>Antibacterials, Miscellaneous</b>		
<i>clindamycin hcl oral capsule 150 mg, (Cleocin HCl) 300 mg, 75 mg</i>	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	NM; NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	2	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	
<i>methenamine hippurate oral tablet 1 gram</i>	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	2	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)
<i>trimethoprim oral tablet 100 mg</i>	2	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG	3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Cephalosporins</b>		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram (Tazicef)</i>	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram (ceftazidime)</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	2	
<i>ampicillin-sulbactam injection recon (Unasyn) soln 1.5 gram, 15 gram, 3 gram</i>	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	
LETOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT	4	
<i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	
<b>Quinolones</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg</i>	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin 400 mg/250 ml bag suv, p/f, inner</i>	2	
<i>moxifloxacin oral tablet 400 mg</i>	2	
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i>	2	(Avelox in NaCl (iso-osmotic))
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	2	(Sulfatrim)
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i>	1	(Bactrim)
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i>	1	(Bactrim DS)
<b>Tetracyclines</b>		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	
<i>doxy-100 intravenous recon soln 100 mg</i>	2	(doxycycline hyclate)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxycycline hyclate intravenous recon soln 100 mg</i>	(Doxycycline 100)	2	
<i>doxycycline hyclate oral capsule 100 mg</i>		2	
<i>doxycycline hyclate oral capsule 50 mg</i>	(Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg, 150 mg, 20 mg, 75 mg</i>		2	
<i>doxycycline hyclate oral tablet 50 mg</i>	(Targadox)	2	
<i>doxycycline monohydrate oral capsule 100 mg</i>	(Mondoxyne NL)	2	
<i>doxycycline monohydrate oral capsule 150 mg</i>		2	QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg</i>		2	
<i>doxycycline monohydrate oral capsule 75 mg</i>	(Mondoxyne NL)	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>		2	
<i>doxycycline monohydrate oral tablet 100 mg</i>	(Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 50 mg</i>		2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>		2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>		2	
<i>tigecycline intravenous recon soln 50 mg</i>	(Tygacil)	5	NM; NDS
<b>Anticancer Agents</b>			
<b>Anticancer Agents</b>			

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>abiraterone oral tablet 250 mg</i>	(Abirtega)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>abiraterone oral tablet 500 mg</i>	(Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>abirtega oral tablet 250 mg</i>	(abiraterone)	2	PA NSO; QL (120 per 30 days)
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	(fluorouracil)	2	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG		5	PA NSO; NM; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)		5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i>	(Arimidex)	1	
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML		5	PA NSO; NM; NDS; QL (1.6 per 28 days)
AUGTYRO ORAL CAPSULE 160 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
AUGTYRO ORAL CAPSULE 40 MG		5	PA NSO; NM; NDS; QL (240 per 30 days)
AVMAPKI ORAL CAPSULE 0.8 MG		5	PA NSO; NM; NDS; QL (24 per 28 days)
AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG		5	PA NSO; NM; NDS; QL (66 per 28 days)
AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG		5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	5	PA NSO; NM; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)	5	PA NSO; NM; NDS; QL (75 per 28 days)
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
<i>bortezomib injection recon soln 1 mg, 2.5 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 3.5 mg</i> (Velcade)	4	PA NSO
BORUZU INJECTION SOLUTION 2.5 MG/ML	4	PA NSO
BOSULIF ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BOSULIF ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 (vandetanib) MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 (vandetanib) MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovsky)	5	PA BvD; NM; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	2	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DANZITEN ORAL TABLET 71 MG, 95 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Sprycel)	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>dasatinib oral tablet 20 mg</i> (Sprycel)	5	PA NSO; NM; NDS; QL (90 per 30 days)
DATROWAY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i>	5	NM; NDS
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)	5	PA BvD; NM; NDS
ELAHERE INTRAVENOUS SOLUTION 5 MG/ML	5	PA NSO; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML	5	PA NSO; NM; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NM; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMRELIS INTRAVENOUS RECON SOLN 100 MG, 20 MG	5	PA NSO; NM; NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i>	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	2	
EULEXIN ORAL CAPSULE 125 MG (flutamide)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>everolimus (antineoplastic) oral tablet 10 mg</i>	(Torpenz)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i>	(Torpenz)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i>	(Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i>	(Aromasin)	2	
FAKZYNJA ORAL TABLET 200 MG		5	PA NSO; NM; NDS; QL (42 per 28 days)
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG		5	PA BvD; NM; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG		3	PA BvD
<i>flouxuridine injection recon soln 0.5 gram</i>		2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>		2	PA BvD
<i>flutamide oral capsule 125 mg</i>	(Eulexin)	2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG		5	PA NSO; NM; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG		5	PA NSO; NM; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG		5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i>	(Faslodex)	5	NM; NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG		5	PA NSO; NM; NDS
GAVRETO ORAL CAPSULE 100 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gefitinib oral tablet 250 mg</i>	(Iressa)	5	PA NSO; NM; NDS; QL (60 per 30 days)
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG	(lomustine)	4	
GLEOSTINE ORAL CAPSULE 100 MG, 40 MG	(lomustine)	5	NM; NDS
GOMEKLI ORAL CAPSULE 1 MG		5	PA NSO; NM; NDS; QL (224 per 28 days)
GOMEKLI ORAL CAPSULE 2 MG		5	PA NSO; NM; NDS; QL (112 per 28 days)
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG		5	PA NSO; NM; NDS; QL (224 per 28 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML		5	PA NSO; NM; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG		5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i>	(Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG		5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG		5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i>	(Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>		2	
<i>imatinib oral tablet 100 mg</i>	(Gleevec)	2	PA NSO; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>imatinib oral tablet 400 mg</i> (Gleevec)		2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG		5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML		5	PA NSO; NM; NDS; QL (216 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG		5	PA NSO; NM; NDS; QL (28 per 28 days)
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG		5	PA NSO; NM; NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML		5	PA NSO; NM; NDS
IMKELDI ORAL SOLUTION 80 MG/ML		5	PA NSO; NM; NDS; QL (280 per 28 days)
INLYTA ORAL TABLET 1 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG		5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)
ITOVEBI ORAL TABLET 3 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
ITOVEBI ORAL TABLET 9 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
IWILFIN ORAL TABLET 192 MG		5	PA NSO; NM; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LAZCLUZE ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i> (Lutrate Depot (3 month))	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	PA NSO
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NM; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	PA NSO; NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NM; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NM; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral suspension 20 mg/ml</i> (Purixan)	5	NM; NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (96 per 28 days)	
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	5	PA NSO; NM; NDS; QL (24 per 28 days)	
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)	
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS	
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)	
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS	
OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS	
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS	
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)	
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)	
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i>	(Abraxane)	5	PA BvD; NM; NDS
<i>pazopanib oral tablet 200 mg</i>	(Votrient)	5	PA NSO; NM; NDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)	
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>		5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NM; NDS
<i>pemetrexed intravenous recon soln 100 mg, 500 mg</i>	5	NM; NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NM; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RETEVMO ORAL TABLET 120 MG, 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RETEVMO ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 110 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
REVUFORJ ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG	5	PA NSO; NM; NDS; QL (8 per 28 days)
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	5	PA NSO; NM; NDS
SCEMBLIX ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
SCEMBLIX ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NM; NDS; QL (900 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NM; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG (nilotinib hcl)	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG (nilotinib hcl)	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (30 per 30 days)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	4	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NM; NDS; QL (64 per 28 days)
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIVIMUSTA INTRAVENOUS (bendamustine) SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VORANIGO ORAL TABLET 10 MG, 40 MG	5	PA NSO; NM; NDS
VYLOY INTRAVENOUS RECON SOLN 100 MG, 300 MG	5	PA NSO; NM; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XALKORI ORAL PELLET 150 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
XALKORI ORAL PELLET 20 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
XALKORI ORAL PELLET 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2), 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZIIHERA INTRAVENOUS RECON SOLN 300 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NM; NDS; QL (20 per 28 days)
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	(Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i>	(Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i>	(Epitol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	(Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>		2	
<i>clobazam oral suspension 2.5 mg/ml</i>	(Onfi)	2	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	(Onfi)	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG		5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG		5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>		4	
<i>divalproex oral capsule, delayed release 125 mg</i>	(Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	(Depakote ER)	2	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	(Depakote)	2	
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG		5	ST; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,500 MG	5	ST; NM; NDS; QL (60 per 30 days)
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	
EPRONTIA ORAL SOLUTION 25 MG/ML	4	ST
<i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom)	5	ST; NM; NDS; QL (30 per 30 days)
<i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom)	5	ST; NM; NDS; QL (60 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i>	2	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fosphénytoïn injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	2	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	2	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gabapentin oral tablet 800 mg</i>	(Neurontin)	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i>	(Vimpat)	2	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i>	(Vimpat)	2	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	(Vimpat)	2	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	(Subvenite)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	(Lamictal)	2	
<i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	(Lamictal ODT)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	(Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i>	(Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	(Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	(Keppra XR)	2	
<i>levetiracetam oral tablet for suspension 250 mg</i>	(Spritam)	2	ST
<i>LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG</i>		4	QL (10 per 30 days)
<i>methsuximide oral capsule 300 mg</i>	(Celontin)	2	
<i>NAYZILAM NASAL SPRAY,NON-AEROSOL 5 MG/SPRAY (0.1 ML)</i>		4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	(Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	(Trileptal)	2	
<i>perampanel oral tablet 10 mg, 12 mg, 8 mg</i>	(Fycompa)	5	ST; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>perampanel oral tablet 2 mg</i>	(Fycompa)	2	ST; QL (30 per 30 days)
<i>perampanel oral tablet 4 mg, 6 mg</i>	(Fycompa)	5	ST; NM; NDS; QL (60 per 30 days)
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>		2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>		2	PA NSO-HRM; AGE (Max 64 Years)
PHENYTEK ORAL CAPSULE 200 MG, 300 MG	(phenytoin sodium extended)	4	
<i>phenytoin oral suspension 125 mg/5 ml</i>	(Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i>	(Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i>	(Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i>	(Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>		2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>		2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>	(Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i>	(Lyrica)	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i>	(Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>		2	
<i>primidone oral tablet 250 mg, 50 mg</i>	(Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i>	(Banzel)	5	ST; NM; NDS
<i>rufinamide oral tablet 200 mg</i>	(Banzel)	2	ST
<i>rufinamide oral tablet 400 mg</i>	(Banzel)	5	ST; NM; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG		5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG	4	ST
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG (levetiracetam)	4	ST
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral capsule, sprinkle 50 mg</i>	2	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	5	NM; NDS; QL (10 per 30 days)
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadron)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Vigadron)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadron oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>vigadrone oral tablet 500 mg</i>	(vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigpoder oral powder in packet 500 mg</i>	(vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)		3	QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG		3	QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG		3	QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)		3	
ZONISADE ORAL SUSPENSION 100 MG/5 ML		4	
<i>zonisamide oral capsule 100 mg, 25 mg</i>	(Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>		2	
ZTALMY ORAL SUSPENSION 50 MG/ML		5	PA NSO; NM; NDS; QL (1080 per 30 days)
<b>Antidementia Agents</b>			
<b>Antidementia Agents</b>			
<i>donepezil oral tablet 10 mg, 5 mg</i>	(Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i>	(Aricept)	2	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg</i>		2	
<i>donepezil oral tablet,disintegrating 5 mg</i>		2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg</i>	2	ST; QL (30 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 7 mg</i>	2	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i>	2	QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	
<i>AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG</i>	5	ST; NM; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i>	2	
<i>bupropion hcl oral tablet sustained- release 12 hr 100 mg, 150 mg, 200 mg</i>	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	
<i>citalopram oral tablet 10 mg</i>	1	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
citalopram oral tablet 20 mg, 40 mg (Celexa)	1	QL (30 per 30 days)
clomipramine oral capsule 25 mg, 50 mg, 75 mg (Anafranil)	2	
desipramine oral tablet 10 mg, 25 mg (Norpramin)	2	
desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg	2	
desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg (Pristiq)	2	QL (30 per 30 days)
doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	2	
doxepin oral concentrate 10 mg/ml	2	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg	2	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
escitalopram oxalate oral solution 5 mg/5 ml	2	
escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
fluoxetine oral capsule 10 mg, 20 mg (Prozac)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluoxetine oral capsule 40 mg</i>	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<b>MARPLAN ORAL TABLET 10 MG</b>	4	
<i>mirtazapine oral tablet 15 mg, 30 mg (Remeron)</i>	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet,disintegrating (Remeron SolTab) 15 mg, 30 mg, 45 mg</i>	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)</i>	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral suspension 10 mg/5 ml (Paxil)</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg (Paxil)</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg (Paxil CR)</i>	2	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg (Nardil)</i>	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
<b>RALDESY ORAL SOLUTION 10 MG/ML</b>	4	PA NSO; QL (1200 per 30 days)
<i>sertraline oral concentrate 20 mg/ml (Zoloft)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg (Zoloft)</i>	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg (Parnate)</i>	2	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i>	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i>	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg (Viibryd)</i>	2	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NM; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NM; NDS; QL (14 per 14 days)
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg (Precose)</i>	2	
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml (Riomet)</i>	2	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	6	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	6	QL (150 per 30 days)
<i>metformin oral tablet 750 mg</i>	6	QL (60 per 30 days)
<i>metformin oral tablet 850 mg</i>	6	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg (Korlym)</i>	5	PA; NM; NDS; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	6	QL (90 per 30 days)
OZEMPI SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg (Actos)</i>	6	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	2	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg (Actoplus MET)</i>	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	6	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	6	QL (240 per 30 days)
RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG	3	PA; QL (30 per 30 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned-metformin)	3	QL (60 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (24 per 28 days)
<i>insulin asp prt-insulin aspart</i> <i>subcutaneous insulin pen 100 unit/ml</i> <i>(70-30)</i>	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart</i> <i>subcutaneous solution 100 unit/ml</i> <i>(70-30)</i>	2	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>cartridge 100 unit/ml</i>	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>insulin pen 100 unit/ml (3 ml)</i>	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>solution 100 unit/ml</i>	2	max \$35 copay per month supply; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)	
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)	
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)	
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine-yfgn)	3	max \$35 copay per month supply
SEMGLEE(INSULIN GLARG-YFGN) PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine-yfgn)	3	max \$35 copay per month supply
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML		3	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	(insulin glargine u-300 conc)	3	max \$35 copay per month supply
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	(insulin glargine u-300 conc)	3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin degludec)	3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	(insulin degludec)	3	max \$35 copay per month supply
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin degludec)	3	max \$35 copay per month supply

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	max \$35 copay per month supply; QL (15 per 28 days)
<b>Sulfonylureas</b>		
glimepiride oral tablet 1 mg, 2 mg	6	QL (30 per 30 days)
glimepiride oral tablet 4 mg	6	QL (60 per 30 days)
glipizide oral tablet 10 mg	6	QL (120 per 30 days)
glipizide oral tablet 2.5 mg	6	QL (60 per 30 days)
glipizide oral tablet 5 mg	6	QL (240 per 30 days)
glipizide oral tablet extended release 24hr 10 mg	6	QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg, 5 mg	6	QL (30 per 30 days)
glipizide-metformin oral tablet 2.5- 250 mg	6	QL (240 per 30 days)
glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg	6	QL (120 per 30 days)
glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg	6	PA-HRM; AGE (Max 64 Years)
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg	6	PA-HRM; AGE (Max 64 Years)
glyburide-metformin oral tablet 1.25- 250 mg, 2.5-500 mg, 5-500 mg	6	PA-HRM; AGE (Max 64 Years)
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
amphotericin b injection recon soln 50 mg	2	PA BvD
amphotericin b liposome intravenous (AmBisome) suspension for reconstitution 50 mg	5	PA BvD; NM; NDS
ciclopirox topical cream 0.77 % (Ciclodan)	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ciclopirox topical solution 8 %</i>	(Ciclodan)	2	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i>	(Loprox (as olamine))	2	QL (180 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>		2	
<i>clotrimazole topical cream 1 %</i>	(Antifungal (clotrimazole))	2	
<i>clotrimazole topical solution 1 %</i>	(Athlete's Foot (clotrimazole))	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>		2	QL (90 per 30 days)
CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG		5	PA; NM; NDS
<i>econazole nitrate topical cream 1 %</i>		2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>		2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>		2	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i>	(Diflucan)	2	
<i>fluconazole oral tablet 100 mg</i>	(Diflucan)	2	
<i>fluconazole oral tablet 150 mg, 200 mg, 50 mg</i>		2	
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		2	
<i>griseofulvin microsize oral tablet 500 mg</i>		2	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 165 mg, 250 mg</i>		2	
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	2	
<i>ketoconazole oral tablet 200 mg</i>		2	
<i>ketoconazole topical cream 2 %</i>		2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ketoconazole topical shampoo 2 %</i>		2	QL (360 per 30 days)
<i>micafungin intravenous recon soln 100 mg, 50 mg</i>	(Mycamine)	2	
<i>miconazole-3 vaginal suppository 200 mg</i>		2	
<i>nyamyc topical powder 100,000 unit/gram</i>	(nystatin)	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>		2	
<i>nystatin oral tablet 500,000 unit</i>		2	
<i>nystatin topical cream 100,000 unit/gram</i>		2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>		2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i>	(Nyamyc)	2	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>		2	
<i>nystop topical powder 100,000 unit/gram</i>	(nystatin)	2	QL (60 per 30 days)
<i>posaconazole oral tablet,delayed release (dr/ec) 100 mg</i>	(Noxafil)	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>		1	
<i>voriconazole intravenous recon soln 200 mg</i>	(Vfend IV)	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	(Vfend)	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg</i>		2	
<i>voriconazole oral tablet 50 mg</i>	(Vfend)	2	
<b>Antigout Agents</b>			
<b>Antigout Agents, Other</b>			
<i>allopurinol oral tablet 100 mg</i>	(Zyloprim)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>allopurinol oral tablet 300 mg</i>	1	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	2	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	2	QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; QL (30 per 30 days)
<i>probencid oral tablet 500 mg</i>	2	
<i>probencid-colchicine oral tablet 500-0.5 mg</i>	2	
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75 %</i> (37.5mg/5 gram) (Vandazole)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
<i>AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML</i>	3	PA; QL (1 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine nasal spray, non-</i> (Migranal) <i>aerosol 0.5 mg/pump act. (4 mg/ml)</i>	5	ST; NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating</i> (Maxalt-MLT) <i>10 mg</i>	2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating</i> <i>5 mg</i>	2	QL (18 per 30 days)
<i>sumatriptan 4 mg/0.5 ml inject outer,</i> (Imitrex STATdose Pen) <i>suv</i>	2	QL (4 per 28 days)
<i>sumatriptan nasal spray,non-aerosol</i> <i>20 mg/actuation, 5 mg/actuation</i>	2	QL (12 per 30 days)
<i>sumatriptan succinate oral tablet 100</i> (Imitrex) <i>mg</i>	2	QL (9 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	2	QL (5 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg, 400 mg</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i>	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECATOR ORAL TABLET 250 MG	4	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule,dose pack 125 mg (1)- 80 mg (2)</i>	2	PA BvD
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; QL (60 per 30 days)
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	1	
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	2	
<i>prochlorperazine rectal suppository 25 mg</i>	2	
<i>promethazine injection solution 25 mg/ml</i> (Phenergan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 25 mg</i> (Promethegan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine)	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	2	
<i>atovaquone-proguanil oral tablet 250-100 mg</i>	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i>	2	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
<i>COARTEM ORAL TABLET 20-120 MG</i>	4	
<i>hydroxychloroquine oral tablet 100 mg</i>	2	QL (180 per 30 days)
<i>hydroxychloroquine oral tablet 200 mg</i>	2	QL (90 per 30 days)
<i>hydroxychloroquine oral tablet 300 mg</i>	2	QL (60 per 30 days)
<i>hydroxychloroquine oral tablet 400 mg</i>	2	QL (60 per 30 days)
<i>IMPAVIDO ORAL CAPSULE 50 MG</i>	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i>	2	
<i>ivermectin oral tablet 6 mg</i>	2	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>nitazoxanide oral tablet 500 mg</i>	5	NM; NDS; QL (60 per 30 days)
<i>paromomycin oral capsule 250 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	2	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	2	
<b>PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)</b>	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
<i>amantadine hcl oral tablet 100 mg</i>	2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral tablet 2.5 mg</i>	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>entacapone oral tablet 200 mg</i>	2	
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML	5	PA; NM; NDS; QL (30 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	2	
<i>rasagiline oral tablet 0.5 mg, 1 mg (Azilect)</i>	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>ropinirole oral tablet extended release 24 hr 2 mg, 4 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	2	
VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML	5	PA; NM; NDS; QL (560 per 28 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NM; NDS; QL (2.4 per 42 days)
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NM; NDS; QL (3.2 per 42 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (2 per 28 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (2 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	2	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	2	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Clozaril)</i>	2	
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i>	2	ST; QL (120 per 30 days)
<b>COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG</b>	5	ST; NM; NDS; QL (60 per 30 days)
<b>COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG</b>	5	ST; NM; NDS
<b>ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML</b>	5	NM; NDS; QL (0.75 per 21 days)
<b>ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML</b>	5	NM; NDS; QL (1 per 21 days)
<b>ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML</b>	5	NM; NDS; QL (1.5 per 21 days)
<b>ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML</b>	5	NM; NDS; QL (2.25 per 21 days)
<b>ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML</b>	5	NM; NDS; QL (0.25 per 21 days)
<b>ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML</b>	5	NM; NDS; QL (0.5 per 21 days)
<b>FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG</b>	5	ST; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FANAPT TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml, 50 mg/ml(1ml)</i>	2	
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>lurasidone oral tablet 120 mg, 20 mg, (Latuda) 40 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg (Latuda)</i>	2	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>molindone oral tablet 5 mg</i>	5	NM; NDS; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 7.5 mg</i>	2	
<i>olanzapine oral tablet 2.5 mg, 20 mg, (Zyprexa) 5 mg</i>	2	
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	2	
OPIPZA ORAL FILM 10 MG, 2 MG, 5 MG	5	ST; NM; NDS
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	2	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>prochlorperazine 10 mg/2 ml vl outer 10 mg/2 ml (5 mg/ml)</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	2	
<i>quetiapine oral tablet 150 mg</i>	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i>	(Seroquel XR)	2	
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG		5	NM; NDS; QL (30 per 30 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml</i>	(Risperdal Consta)	2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 25 mg/2 ml</i>	(Rykindo)	2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i>	(Rykindo)	5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i>	(Risperdal)	2	
<i>risperidone oral tablet 0.25 mg</i>		2	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	(Risperdal)	2	
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>		2	
RYKINDO INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML	(risperidone microspheres)	5	NM; NDS; QL (2 per 28 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR		5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>		2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	NM; NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NM; NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NM; NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NM; NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NM; NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NM; NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NM; NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i>	2	QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i>	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML)	5	NM; NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	2	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NM; NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS
<i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i>	(Apretude)	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG		5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	(emtricitabine-rilpivirine-tenofovir df)	5	NM; NDS
<i>darunavir oral tablet 600 mg, 800 mg</i>	(Prezista)	5	NM; NDS
DELSTRIGO ORAL TABLET 100-300-300 MG		5	NM; NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG		5	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>		2	
DOVATO ORAL TABLET 50-300 MG		5	NM; NDS
EDURANT ORAL TABLET 25 MG		5	NM; NDS
EDURANT PED ORAL TABLET FOR SUSPENSION 2.5 MG		5	NM; NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i>		2	
<i>efavirenz oral tablet 600 mg</i>		2	
<i>efavirenz-emtricitabine-tenofovir oral tablet 600-200-300 mg</i>		5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disop oral tablet 400-300-300 mg</i>		5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disop oral tablet 600-300-300 mg</i>	(Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i>	(Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i>	(Truvada)	5	NM; NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i>	(Truvada)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>emtricitabine-rilpivirine-tenofovir disoproxil fumarate oral tablet 200-25-300 mg</i> (Complera)	5	NM; NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
KALETRA ORAL SOLUTION 400-100 MG/5 ML (lopinavir-ritonavir)	4	QL (480 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i>	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	
<b>LEXIVA ORAL SUSPENSION 50 MG/ML</b>	4	
<i>lopinavir-ritonavir oral solution 400- 100 mg/5 ml</i>	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 (Kaletra) mg</i>	2	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 (Kaletra) mg</i>	2	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg (Selzentry)</i>	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i>	2	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	2	QL (30 per 30 days)
<b>NORVIR ORAL POWDER IN PACKET 100 MG</b>	4	
<b>NORVIR ORAL SOLUTION 80 MG/ML</b>	4	
<b>ODESEY ORAL TABLET 200-25- 25 MG</b>	5	NM; NDS
<b>PIFELTRO ORAL TABLET 100 MG</b>	5	NM; NDS
<b>PREZCOBIX ORAL TABLET 800- 150 MG-MG</b>	5	NM; NDS
<b>PREZISTA ORAL SUSPENSION 100 MG/ML</b>	5	NM; NDS
<b>PREZISTA ORAL TABLET 150 MG, 75 MG</b>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK)	5	NM; NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NM; NDS
TRIUMEQ ORAL TABLET 600-50- 300 MG	5	NM; NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	4	
TRIZIVIR ORAL TABLET 300- 150-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	ST; NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
<b>Antivirals, Miscellaneous</b>		
LIVTENCITY ORAL TABLET 200 MG	5	PA; NM; NDS
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)	2	QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (6)- 100 MG (5)	2	QL (11 per 28 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	2	QL (30 per 5 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir) MG	5	PA; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NM; NDS
<b>Nucleosides And Nucleotides</b>		
<i>acyclovir oral capsule 200 mg</i>	1	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	5	NM; NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	
<b>Blood Products/Modifiers/Volume Expanders</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Anticoagulants</b>		
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i>	2	QL (60 per 30 days)
<b>ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)</b>	3	
<b>ELIQUIS ORAL TABLET 2.5 MG</b>	3	QL (60 per 30 days)
<b>ELIQUIS ORAL TABLET 5 MG</b>	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i>	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i>	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i>	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i>	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i>	2	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i>	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	2	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i>	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i>	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Jantoven)	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG	3	QL (60 per 30 days)
XARELTO ORAL TABLET 2.5 MG (rivaroxaban)	3	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	5	PA; NM; NDS; QL (60 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG (eltrombopag olamine)	5	PA; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROMACTA ORAL POWDER IN PACKET 25 MG (eltrombopag olamine)	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG (eltrombopag olamine)	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG (eltrombopag olamine)	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG (eltrombopag olamine)	5	PA; NM; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
<b>Hematologic Agents, Miscellaneous</b>		
<i>anagrelide oral capsule 0.5 mg (Agrylin)</i>	2	
<i>anagrelide oral capsule 1 mg</i>	2	
<i>tranexamic acid oral tablet 650 mg</i>	2	
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	
BRILINTA ORAL TABLET 60 MG, 90 MG (ticagrelor)	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg (Plavix)</i>	1	
<i>dipyridamole oral tablet 50 mg, 75 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel hcl oral tablet 10 mg, 5 mg (Effient)</i>	2	QL (30 per 30 days)
<b>Caloric Agents</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Caloric Agents</b>		
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	
<i>clonidine transdermal patch weekly (Catapres-TTS-1) 0.1 mg/24 hr</i>	2	
<i>clonidine transdermal patch weekly (Catapres-TTS-2) 0.2 mg/24 hr</i>	2	
<i>clonidine transdermal patch weekly (Catapres-TTS-3) 0.3 mg/24 hr</i>	2	
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NM; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	2	
<b>Angiotensin II Receptor Antagonists</b>		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	6	
<i>candesartan-hydrochlorothiazide oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	2	
<i>ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG</i> (sacubitril-valsartan)	3	QL (60 per 30 days)
<i>ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG</i>	3	QL (240 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg</i> (Avapro)	6	
<i>irbesartan oral tablet 75 mg</i>	6	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	6	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	6	
<i>olmesartan-amlodipine-hydrochlorothiazide oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	6	
<i>telmisartan oral tablet 20 mg</i>	6	
<i>telmisartan oral tablet 40 mg, 80 mg</i> (Micardis)	6	
<i>telmisartan-hydrochlorothiazide oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	6	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	6	
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg</i> (Lotensin)	6	
<i>benazepril oral tablet 40 mg</i>	6	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	6	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	6	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	6	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i>	6	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	6	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>	6	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	6	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	6	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	6	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	6	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	6	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	2	
<b>Antiarrhythmic Agents</b>		
<i>amiodarone oral tablet 100 mg, 200 mg</i>	2	
<i>amiodarone oral tablet 400 mg</i>	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>MULTAQ ORAL TABLET 400 MG</i>	3	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)</i>	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	2	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)</i>	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg (Toprol XL)</i>	1	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg (Lopressor)</i>	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Bystolic)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	(Inderal LA)	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>		2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	(sotalol)	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	(sotalol)	2	
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i>	(Sotalol AF)	2	
<i>sotalol oral tablet 240 mg</i>	(Betapace)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>		2	
<b>Calcium-Channel Blocking Agents</b>			
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	(diltiazem hcl)	2	
<i>diltiazem 24hr er 360 mg cap once-a-day dosage</i>	(Tiadylt ER)	2	
<i>diltiazem 24hr er 420 mg cap</i>	(Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>		2	
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i>	(Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	(Cartia XT)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i>	(Cardizem)	2	
<i>diltiazem hcl oral tablet 90 mg</i>		2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	(diltiazem hcl)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	(diltiazem hcl)	2	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	(diltiazem hcl)	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>		2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>		4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>		1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>		2	
<b>Cardiovascular Agents, Miscellaneous</b>			
CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG		5	PA; NM; NDS; QL (30 per 30 days)
CORLANOR ORAL SOLUTION 5 MG/5 ML		3	QL (600 per 30 days)
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>		2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	(Digitek)	2	
<i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i>	(Lanoxin)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i>	(Auvi-Q)	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i>	(EpiPen Jr)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>		3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	(Auvi-Q)	2	QL (4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg	1	
icatibant subcutaneous syringe 30 mg/3 ml (Firazyr)	5	PA; NM; NDS; QL (18 per 30 days)
ivabradine oral tablet 5 mg, 7.5 mg (Corlanor)	3	QL (60 per 30 days)
metyrosine oral capsule 250 mg (Demser)	5	NM; NDS
ranolazine oral tablet extended release 12 hr 1,000 mg	2	QL (60 per 30 days)
ranolazine oral tablet extended release 12 hr 500 mg	2	QL (120 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA; QL (30 per 30 days)
<b>Dihydropyridines</b>		
amlodipine oral tablet 10 mg, 2.5 mg, 5 mg (Norvasc)	1	
amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg (Lotrel)	6	
amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg	6	
amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg (Azor)	6	
amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg (Exforge)	6	
amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg (Exforge HCT)	2	
felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg	2	
nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg (Procardia XL)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, (Lasix) 80 mg</i>	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	(tolvaptan (polycys kidney dis)) PA; NM; NDS; QL (120 per 30 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tolvaptan (polycys kidney dis) oral tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> (Jynarque)	5	PA; NM; NDS; QL (56 per 28 days)
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	1	
<b>Dyslipidemics</b>		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	2	
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	2	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	2	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	6	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	2	
<i>cholestyramine light oral powder in packet 4 gram</i>	2	
<i>colesevelam oral powder in packet 3.75 gram</i>	2	
<i>colesevelam oral tablet 625 mg</i>	2	
<i>colestipol oral packet 5 gram</i>	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	
<i>fenofibrate oral tablet 120 mg, 40 mg, 54 mg</i>	2	
<i>fenofibrate oral tablet 160 mg</i>	1	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
<i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)	2	QL (240 per 30 days)
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	2	QL (120 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	
<b>NEXLETOL ORAL TABLET 180 MG</b>	3	ST; QL (30 per 30 days)
<b>NEXLIZET ORAL TABLET 180-10 MG</b>	3	ST; QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	2	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	
<i>niacor oral tablet 500 mg</i> (niacin)	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; QL (120 per 30 days)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pravastatin oral tablet 10 mg, 80 mg</i>	6	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	6	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	2	
<b>REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML</b>	3	ST; QL (7 per 28 days)
<b>REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML</b>	3	ST; QL (6 per 28 days)
<b>REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML</b>	3	ST; QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Crestor)</i>	6	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg (Zocor)</i>	6	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	6	QL (30 per 30 days)
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg (Tekturna)</i>	2	
<i>eplerenone oral tablet 25 mg, 50 mg (Inspira)</i>	2	
<b>KERENDIA ORAL TABLET 10 MG, 20 MG</b>	3	PA; QL (30 per 30 days)
<b>Vasodilators</b>		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 40 mg (Isordil)</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg (Isordil Titradose)</i>	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>	2	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NM; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NM; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NM; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	2	PA; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fingolimod oral capsule 0.5 mg</i>	(Gilenya)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Glatopa)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Glatopa)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	(glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	(glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	(Intuniv ER)	2	
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)		5	PA; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG		5	PA; NM; NDS; QL (30 per 30 days)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG		5	PA; NM; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML		5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>		1	
<i>lithium carbonate oral tablet 300 mg</i>		1	
<i>lithium carbonate oral tablet extended release 300 mg</i>	(Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>		2	
<i>lithium citrate oral solution 8 meq/5 ml</i>		2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG		5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	3	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>methylphenidate hcl oral solution 10 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
OCREVUS ZUNOVO SUBCUTANEOUS SOLUTION 920 MG-23,000 UNIT/23 ML	5	PA; NM; NDS; QL (23 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethyst (28) oral tablet 90-20 mcg (28)</i> (levonorgestrel-ethinyl estrad)	2	
<i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estriadiol/e.estriadiol)	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cyled eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Aprि)	2	
<i>dolishale oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estrad)	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>emzahh oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>estarrylla oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1/50 (28))	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21/0.01 mg x 5</i>	(desog-e.estriadiol/e.estriadiol)	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG		4	
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	(Balcoltra)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>	(Amethyst (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG		3	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>meleya oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>microgestin 1/20 (21) oral tablet 1- 20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone- e.estriadiol-iron)	2	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone- e.estriadiol-iron)	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone- e.estriadiol-iron)	2	
<i>mili oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG		4	
<i>mono-linyah oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
NEXPLANON SUBDERMAL IMPLANT 68 MG		3	
<i>norelgestromin-ethin.estriadiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	2	QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	2	
<i>norethindrone-e.estriadiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	2	
<i>norethindrone-e.estriadiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	2	
<i>norethindrone-e.estriadiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tilia Fe)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(Tri-Lo-Estarylla)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(Tri-Estarrylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i>	(Estarrylla)	2	
<i>norlyda oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estriadiol/e.estriadiol)	2	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog- e.estradiol/e.estriadiol)	2	
SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG		4	
<i>sprintec (28) oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone- e.estriadiol-iron)	2	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone- e.estriadiol-iron)	2	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone- e.estriadiol-iron)	2	
<i>tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone- e.estriadiol-iron)	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>valtya oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>vienna oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>viovere (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>vylibra oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<b>Dental And Oral Agents</b>			
<b>Dental And Oral Agents</b>			
<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Periogard)	1	
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1	
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2	
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Denta 5000 Plus Sensitive)	1	
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Kourzeq)	2	
<b>Dermatological Agents</b>			
<b>Dermatological Agents, Other</b>			
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		2	
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	2	QL (30 per 30 days)
<i>ammonium lactate topical cream 12 %</i>		2	
<i>ammonium lactate topical lotion 12 %</i>	(AmLactin)	2	
<i>calcipotriene scalp solution 0.005 %</i>		2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>		2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>calcipotriene topical ointment 0.005 %</i>	2	QL (120 per 30 days)
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in packet 5 %</i>	2	QL (24 per 30 days)
ISOPROPYL ALCOHOL TOPICAL SWAB 70 %	1	
KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (60 per 28 days)
<i>podoftilox topical solution 0.5 %</i>	2	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NM; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	
<b>Dermatological Antibacterials</b>		
<i>clindamycin phosphate topical solution 1 %</i>	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab</i> (Clindacin ETZ) 1 %	2	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	2	
<i>erythromycin with ethanol topical solution 2 %</i>	2	
<i>gentamicin topical cream 0.1 %</i>	2	QL (90 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	QL (220 per 30 days)
<i>neuac topical gel 1.2 %(1 % base) -5 %</i> (clindamycin-benzoyl peroxide)	1	
<i>rosadan topical cream 0.75 %</i> (metronidazole)	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	
<i>ssd topical cream 1 %</i> (silver sulfadiazine)	4	
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	2	
<i>clobetasol topical ointment 0.05 %</i>	2	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	2	
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluticasone propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream</i>	2	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	2	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i>	2	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocortisone topical ointment 2.5 %</i>		1	
<i>hydrocortisone valerate topical cream 0.2 %</i>		2	
<i>mometasone topical cream 0.1 %</i>		2	
<i>mometasone topical ointment 0.1 %</i>		2	
<i>mometasone topical solution 0.1 %</i>		2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)		2	QL (100 per 30 days)
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	(hydrocortisone)	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>		2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>		1	
<i>triamcinolone acetonide topical cream 0.5 %</i>	(Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>		2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>		2	
<i>triamcinolone acetonide topical ointment 0.05 %</i>	(Trianex)	2	
<b>Dermatological Retinoids</b>			
<i>adapalene topical cream 0.1 %</i> (Differin)		2	
ALTRENO TOPICAL LOTION 0.05 %		4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)		2	
<i>tretinoin topical cream 0.025 %</i> (Avita)		2	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)		2	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Scabicides And Pediculicides</b>			
<i>malathion topical lotion 0.5 %</i>	(Ovide)	2	
<i>permethrin topical cream 5 %</i>	(Elimite)	2	QL (60 per 30 days)
<b>Devices</b>			
<b>Devices</b>			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ABOUTTIME PEN NEEDLE NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ALCOHOL 70% SWABS	(Alcohol Pads)	1	PA; ST
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
ALCOHOL WIPES TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		2	PA; ST
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		2	PA; ST
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		2	PA; ST
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"		2	PA; ST
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		2	PA; ST
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"		2	PA; ST
AUTOSHIELD DUO PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"		2	PA; ST
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "		2	PA; ST
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD INS SYR UF 0.3 ML 12.7MMX30G 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD INS SYR UF 0.5 ML 12.7MMX30G NOT FOR RETAIL SALE 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"		2	PA; ST
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"		2	PA; ST
BD INSULIN SYR 1 ML 27GX12.7MM 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYRINGE SLIP TIP SYRINGE 1 ML	(insulin syringe needleless)	2	PA; ST
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"		2	PA; ST
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
BD SINGLE USE SWAB	(alcohol swabs)	1	PA; ST
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BORDERED GAUZE 2"X2" 2 X 2 " (gauze bandage)	1	PA; ST
CAREFINE PEN NEEDLE 12.7MM (pen needle, diabetic) 29G 29 GAUGE X 1/2"	2	PA; ST
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	PA; ST
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	PA; ST
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	PA; ST
CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16"	2	PA; ST
CAREFINE PEN NEEDLES 6MM (pen needle, diabetic) 32G 32 GAUGE X 1/4"	2	PA; ST
CAREFINE PEN NEEDLES 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	PA; ST
CARETOUCH ALCOHOL 70% (alcohol swabs) PREP PAD	1	PA; ST
CARETOUCH PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2"	2	PA; ST
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	2	PA; ST
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	2	PA; ST
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	2	PA; ST
CARETOUCH SYR 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	PA; ST
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16		2	PA; ST
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ 0.3 ML 31G 15/64" 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ 0.5 ML 31G 15/64" 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31G 15/64" 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		2	PA; ST
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		2	PA; ST
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	PA; ST
CURAD GAUZE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	PA; ST
CURITY ALCOHOL PREPS 2 PLY,MEDIUM (alcohol swabs)	1	PA; ST
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	PA; ST
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 " (gauze bandage)	1	PA; ST
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 " (gauze bandage)	1	PA; ST
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	PA; ST
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	PA; ST
DROPLET 0.3 ML 29G 12.7MM(1/2) 0.3 ML 29 GAUGE X 1/2"	2	PA; ST
DROPLET 0.3 ML 30G 12.7MM(1/2) 0.3 ML 30 GAUGE X 1/2"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.3 ML 30G 8MM(1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.3 ML 31G 6MM(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	PA; ST
DROPLET INS 0.3 ML 31G 8MM(1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
DROPLET INS 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30G 8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2	PA; ST
DROPLET PEN NEEDLE 29G 10MM 29 GAUGE X 3/8"		2	PA; ST
DROPLET PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	2	PA; ST
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	2	PA; ST
EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"	2	PA; ST
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		2	PA; ST
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	PA; ST
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT PEN NDL 29G 4MM 29 GAUGE X 5/32"		2	PA; ST
EASY COMFORT PEN NDL 29G 5MM 29 GAUGE X 3/16"		2	PA; ST
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT SYR 0.5 ML 29G 8MM 1/2 ML 29 X5/16 "	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT SYR 1 ML 29G 8MM 1 ML 29 GAUGE X 5/16		2	PA; ST
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)		2	PA; ST
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	PA; ST
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED (alcohol swabs)		1	PA; ST
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)		2	PA; ST
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)		2	PA; ST
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)		2	PA; ST
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)		2	PA; ST
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	PA; ST
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	2	PA; ST
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		2	PA; ST
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		2	PA; ST
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	2	PA; ST
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2	PA; ST
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EQL INSULIN 0.5 ML SYRINGE 1/2 ML 29	(Ultilet Insulin Syringe)	2	PA; ST
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	2	PA; ST
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	PA; ST
GNP CLICKFINE 31G X 1/4" NDL 6MM, UNIVERSAL 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
GNP CLICKFINE 31G X 5/16" NDL 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
GNP ULT CMFRT 0.5 ML 29GX1/2" 1/2 ML 29	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	PA; ST
GS PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(1st Tier Unifine Pentips)	2	PA; ST
GS PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(1st Tier Unifine Pentips)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"		2	PA; ST
HEB INCONTROL ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INCONTROL PEN NEEDLE 12MM (pen needle, diabetic) 29G 29 GAUGE X 1/2"	2	PA; ST
INCONTROL PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	PA; ST
INCONTROL PEN NEEDLE 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16"	2	PA; ST
INCONTROL PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	PA; ST
INCONTROL PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	PA; ST
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN 1 ML SYRINGE 1 ML 30 GAUGE X 7/16" (Ultra Comfort Insulin Syringe)	2	PA; ST
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (Droplet Insulin Syr(half unit))	2	PA; ST
INSULIN SYR 0.5 ML 28G 12.7MM (OTC) 1/2 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 30GX1/2" (RX) 0.5 ML 30 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE (insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Droplet Insulin Syringe)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	PA; ST	
INSULIN SYRINGE 1 ML 27G 1/2" (Easy Touch Insulin INNER 1 ML 27 GAUGE X 1/2"	2	PA; ST	
INSULIN SYRINGE 1 ML 27G (BD SafetyGlide 16MM 1 ML 27 GAUGE X 5/8"	2	PA; ST	
INSULIN SYRINGE 1 ML 28G (Comfort EZ Insulin 12.7MM (OTC) 1 ML 28 GAUGE X 1/2"	2	PA; ST	
INSULIN SYRINGE 1 ML (BD Eclipse Luer-Lok) 30GX1/2" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 1/2"	2	PA; ST	
INSULIN SYRINGE 1 ML (Droplet Insulin 31GX1/4" 1 ML 31 GAUGE X 1/4"	2	PA; ST	
INSULIN SYRINGE NEEDLELESS (Easy Touch Luer Lock SYRINGE 1 ML Insulin)	2	PA; ST	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	2	PA; ST
INSULIN U-500 SYRINGE-NEEDLE SYRINGE 1/2 ML 31 GAUGE X 15/64"		2	PA; ST
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSUPEN PEN NEEDLE 31G 8MM (pen needle, diabetic) 31 GAUGE X 5/16"		2	PA; ST
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 32G 6MM (pen needle, diabetic) (RX) 32 GAUGE X 1/4"		2	PA; ST
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
IV ANTISEPTIC WIPES	(alcohol swabs)	1	PA; ST
KENDALL ALCOHOL 70% PREP PAD	(alcohol swabs)	1	PA; ST
LISCO SPONGES 100/BAG 2 X 2 "		1	PA; ST
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		2	PA; ST
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
LITETOUGH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2	PA; ST
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	PA; ST
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	PA; ST
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	PA; ST
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(CareFine Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	PA; ST
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	2	PA; ST
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		2	PA; ST
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
MS INSULIN SYR 1 ML 31GX5/16" (OTC) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	2	PA; ST
MS INSULIN SYRINGE 0.3 ML 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2	PA; ST
NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
NOVOFINE 30 NEEDLE		2	PA; ST
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		2	PA; ST
NOVOTWIST NEEDLE 32 GAUGE X 1/5"		2	PA; ST
OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)	
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)	
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)	
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)	
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)	
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16"	(Embrace Pen Needle)	2	PA; ST
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16"	(CareFine Pen Needle)	2	PA; ST
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLE 31G X 1/4" HRI 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	2	PA; ST
PEN NEEDLE 6MM 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	2	PA; ST
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PEN NEEDLES 5MM 31G 31GX5MM,STRL,MINI (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 29G 1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 31G 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 32G 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PREFPLS INS SYR 1 ML 30GX5/16" (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes)	2	PA; ST
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	PA; ST
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	PA; ST
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" u-100)	(insulin syringe-needle	2	PA; ST
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" u-100)	(insulin syringe-needle	2	PA; ST
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	(insulin syringe-needle	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
PURE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		2	PA; ST
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort Touch Pen Needle)	2	PA; ST
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"		2	PA; ST
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		2	PA; ST
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		2	PA; ST
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"		2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"		2	PA; ST
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort EZ PRO Safety Pen Ndl)		2	PA; ST
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" (pen needle, diabetic, safety)		2	PA; ST
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"		2	PA; ST
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"		2	PA; ST
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)		1	PA; ST
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
NEEDLES, INSULIN DISP., SAFETY	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	PA; ST
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	PA; ST
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TOPCARE CLICKFINE 31G X 1/4" (pen needle, diabetic) 31 GAUGE X 1/4"		2	PA; ST
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFR PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFR PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFR PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		2	PA; ST
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE COMFORT 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
TRUE COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	2	PA; ST
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	2	PA; ST
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	2	PA; ST
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	2	PA; ST
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	2	PA; ST
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	2	PA; ST
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	2	PA; ST
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	2	PA; ST
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16	2	PA; ST
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)	1	PA; ST
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFRT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"		2	PA; ST
TRUE COMFRT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"		2	PA; ST
TRUE COMFRT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	PA; ST
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.5 ML 30G 8MM (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.5 ML 31G 8MM (OTC) 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		2	PA; ST
ULTICARE SAFETY 0.5 ML 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	PA; ST
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"	2	PA; ST
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	PA; ST
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	PA; ST
ULTIGUARD SAFEPACK 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	PA; ST
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	PA; ST
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	PA; ST
ULTILET ALCOHOL STERL SWAB (alcohol swabs)	1	PA; ST
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTILET PEN NEEDLE 29 GAUGE		2	PA; ST
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		2	PA; ST
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE 0.3 ML 30G 12.7MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
ULTRA-FINE 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE PEN NDL 29G 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE SYR 1 ML 30G 12.7MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA-THIN II 1 ML 31GX5/16" 1	(insulin syringe-needle ML 31 GAUGE X 5/16 u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 30G	(insulin syringe-needle 0.3 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 31G	(insulin syringe-needle 0.3 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 29G	(insulin syringe-needle 0.5 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 30G	(insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 31G	(insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML	(insulin syringe-needle 29G 1 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML	(insulin syringe-needle 30G 1 ML 30 GAUGE X 5/16 u-100)	2	PA; ST
ULTRA-THIN II PEN NDL	(pen needle, diabetic)	2	PA; ST
29GX1/2" 29 GAUGE X 1/2"			
ULTRA-THIN II PEN NDL	(pen needle, diabetic)	2	PA; ST
31GX5/16 31 GAUGE X 5/16"			
UNIFINE OTC PEN NEEDLE 31G	(pen needle, diabetic)	2	PA; ST
5MM 31 GAUGE X 3/16"			
UNIFINE OTC PEN NEEDLE 32G	(pen needle, diabetic)	2	PA; ST
4MM 32 GAUGE X 5/32"			
UNIFINE PEN NEEDLE 32G 4MM	(pen needle, diabetic)	2	PA; ST
32 GAUGE X 5/32"			
UNIFINE PENTIPS 12MM 29G	(pen needle, diabetic)	2	PA; ST
29GX12MM, STRL 29 GAUGE X			
1/2"			
UNIFINE PENTIPS 31GX3/16"	(pen needle, diabetic)	2	PA; ST
31GX5MM,STRL,MINI 31 GAUGE			
X 3/16"			
UNIFINE PENTIPS 32GX1/4" 32	(pen needle, diabetic)	2	PA; ST
GAUGE X 1/4"			

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		2	PA; ST
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)		2	PA; ST
UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16"		2	PA; ST
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)		2	PA; ST
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)		2	PA; ST
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)		2	PA; ST
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)		2	PA; ST
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)		2	PA; ST
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"		2	PA; ST
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)		2	PA; ST
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)		2	PA; ST
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)		2	PA; ST
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G X 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G X 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"		2	PA; ST
VERIFINE SYRING 0.5 ML 29G X 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRING 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.3 ML 31G X 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.5 ML 31G X 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "		1	PA; ST
V-GO 20 DEVICE		3	QL (30 per 30 days)
V-GO 30 DEVICE		3	QL (30 per 30 days)
V-GO 40 DEVICE		3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs)	1	PA; ST
<b>Enzyme Cofactors/Chaperones</b>		
<b>Enzyme Cofactors/Chaperones</b>		
MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
<i>javygtor oral tablet,soluble 100 mg</i> (sapropterin)	5	PA; NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
<i>sapropterin oral tablet,soluble 100 mg</i> (Javygtor)	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000- 126,000- 168,000 UNIT, 5,000- 17,000- 24,000 UNIT, 60,000- 189,600- 252,600 UNIT	3	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	2	
<i>azelastine nasal spray,non-aerosol 137 mcg (0.1 %)</i>	2	QL (60 per 30 days)
<i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i>	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
MIEBO (PF) OPHTHALMIC (EYE) DROPS 100 %	3	QL (12 per 28 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch- Redness Rlf)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Advanced Eye Relief (olopatad))	2	
<b>Eye, Ear, Nose, Throat Anti- Infectives Agents</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (Polycin) (eye) ointment 500-10,000 unit/gram</i>	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	2	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	QL (3.5 per 4 days)
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	
<i>moxifloxacin ophthalmic (eye) drops (Vigamox) 0.5 %</i>	2	
<b>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</b>	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2		
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2		
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2		
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(neomycin-bacitracin-poly-hc)	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(neomycin-bacitracin-polymyxin)	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflax)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>		2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(bacitracin-polymyxin b)	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>		1	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>		2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>		2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>		2	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>		1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	
XDEMVY OPHTHALMIC (EYE) DROPS 0.25 %	5	PA; NM; NDS; QL (10 per 42 days)
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 % (loteprednol etabonate)	3	ST
<i>bromfenac ophthalmic (eye) drops 0.07 %</i> (Prolensa)	2	
<i>bromfenac ophthalmic (eye) drops 0.075 %</i> (BromSite)	2	
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	2	
<i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> (Restasis)	2	QL (60 per 30 days)
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
<i>diluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)	2	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	2	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>		2	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i>	(24 Hour Allergy Relief)	1	QL (16 per 30 days)
<i>ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %</i>		3	
<i>INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %</i>		3	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.5 %</i>	(Acular)	2	QL (10 per 25 days)
<i>LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %</i>		3	QL (3.5 per 14 days)
<i>LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %</i>		3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i>	(Lotemax)	2	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i>	(Alrex)	2	ST
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>		2	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	(Allergy Nasal (mometasone))	2	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	(Pred Forte)	4	
<i>XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %</i>		3	QL (60 per 30 days)
<b>Gastrointestinal Agents</b>			
<b>Antiulcer Agents And Acid Suppressants</b>			
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>		2	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i>	(Acid Reducer (esomeprazole))	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i>	(Nexium)	2	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i>	(Nexium Packet)	2	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i>	(Nexium Packet)	2	ST; QL (60 per 30 days)
<i>famotidine oral tablet 20 mg</i>	(Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i>	(Pepcid)	1	
<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i>	(Acid Reducer (lansoprazole))	2	QL (30 per 30 days)
<i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i>	(Prevacid)	2	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	(Cytotec)	2	
<i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>		1	
<i>pantoprazole oral tablet,delayed release (dr/ec) 20 mg</i>	(Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet,delayed release (dr/ec) 40 mg</i>	(Protonix)	1	QL (60 per 30 days)
<i>rabeprazole oral tablet,delayed release (dr/ec) 20 mg</i>	(AcipHex)	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i>	(Carafate)	2	
<b>Gastrointestinal Agents, Other</b>			
<i>carglumic acid oral tablet, dispersible 200 mg</i>	(Carbaglu)	5	PA; NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	(lactulose)	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg (Lomotil)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml (lactulose)</i>	2	
<i>generlac oral solution 10 gram/15 ml (lactulose)</i>	2	
<i>glycopyrrolate oral tablet 1 mg (Robinul)</i>	2	
<i>glycopyrrolate oral tablet 2 mg (Robinul Forte)</i>	2	
<i>kionex (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>lactulose oral solution 10 gram/15 ml (Constulose)</i>	2	
<i>LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG</i>	3	QL (30 per 30 days)
<i>LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM</i>	3	
<i>loperamide oral capsule 2 mg (Anti-Diarrheal (loperamide))</i>	2	
<i>lubiprostone oral capsule 24 mcg, 8 mcg (Amitiza)</i>	2	QL (60 per 30 days)
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg (Reglan)</i>	1	
<i>MOVANTIK ORAL TABLET 12.5 MG, 25 MG</i>	3	QL (30 per 30 days)
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 200 mg, 400 mg (Reltone)</i>	5	NM; NDS
<i>ursodiol oral capsule 300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ursodiol oral tablet 250 mg</i>	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (84 per 28 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
<i>gavilyte-c oral recon soln 240-22.72- (peg 3350-electrolytes) 6.72 -5.84 gram</i>	2	
<i>gavilyte-g oral recon soln 236-22.74- (peg 3350-electrolytes) 6.74 -5.86 gram</i>	2	
<i>gavilyte-n oral recon soln 420 gram (peg-electrolyte soln)</i>	2	
<i>peg 3350-electrolytes oral recon soln (GaviLyte-G) 236-22.74-6.74 -5.86 gram</i>	2	
<i>peg-electrolyte soln oral recon soln (GaviLyte-N) 420 gram</i>	2	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	3	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>	2	
SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM	3	
<b>Phosphate Binders</b>		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	2	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	2	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	2	
<i>flavoxate oral tablet 100 mg</i>	2	
<i>MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG</i> (mirabegron)	2	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	1	
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i>	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i>	2	
<i>trospium oral capsule,extended release 24hr 60 mg</i>	2	
<i>trospium oral tablet 20 mg</i>	2	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dutasteride oral capsule 0.5 mg</i>	(Avodart)	2	
<i>finasteride oral tablet 5 mg</i>	(Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i>	(Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>		1	
<b>Heavy Metal Antagonists</b>			
<b>Heavy Metal Antagonists</b>			
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i>	(Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i>	(Jadenu)	2	PA
<i>penicillamine oral tablet 250 mg</i>	(Depen Titratabs)	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i>	(Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>			
<b>Androgens</b>			
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>		2	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i>		2	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	(Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>		2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>		2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	(Vogelxo)	2	PA; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>		
DUAVEE ORAL TABLET 0.45-20 MG	3	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvafem)	2	QL (18 per 28 days)
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Abigale Lo)	2	PA-HRM; AGE (Max 64 Years)
<i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i> (Mimvey)	2	PA-HRM; AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PREMARIN ORAL TABLET 0.625 (conjugated estrogens) MG, 1.25 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20</i> (Cortef) <i>mg, 5 mg</i>	2	
<i>methylprednisolone acetate injection</i> (Depo-Medrol) <i>suspension 40 mg/ml</i>	2	
<i>methylprednisolone oral tablet 16</i> (Medrol) <i>mg, 4 mg, 8 mg</i>	2	
<i>methylprednisolone oral tablet 32 mg</i>	2	
<i>methylprednisolone oral tablets,dose</i> (Medrol (Pak)) <i>pack 4 mg</i>	1	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral (Pediapred) solution 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
<i>triamcinolone acetonide injection (Kenalog) suspension 40 mg/ml</i>	2	
<b>Pituitary</b>		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML	5	PA; NM; NDS; QL (15 per 30 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML	5	PA; NM; NDS; QL (30 per 30 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NM; NDS; QL (0.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	PA NSO; NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NM; NDS
LUTRATE DEPOT (3 MONTH) (leuprolide (3 month)) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	4	PA NSO
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml	2	
<i>octreotide acetate injection solution</i> (Sandostatin) 100 mcg/ml, 50 mcg/ml, 500 mcg/ml	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML (lanreotide)	5	PA NSO; NM; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML (lanreotide)	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
<b>Progestins</b>		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	3	QL (0.65 per 84 days)
<i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)	2	
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	
<b>Thyroid And Antithyroid Agents</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	(Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i>	(Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 50 mcg</i>	(Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>		1	
<i>propylthiouracil oral tablet 50 mg</i>		2	
<b>Immunological Agents</b>			
<b>Immunological Agents</b>			
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML		5	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)		5	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML		5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG		5	PA; NM; NDS
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG	(tacrolimus)	4	PA BvD
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 5 MG	(tacrolimus)	5	PA BvD; NM; NDS
<i>azathioprine oral tablet 50 mg</i>	(Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>		2	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML		5	PA; NM; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	2	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	2	PA BvD
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	2	PA BvD
CYLTEZO(CF) PEN CROHN'S-UC- (adalimumab-adbm) HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CYLTEZO(CF) PEN PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS
CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS
CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive) oral</i> (Zortress) tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg	5	PA BvD; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	5	PA BvD; NM; NDS
<i>gengraf</i> oral capsule 100 mg, 25 mg (cyclosporine modified)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gengraf oral solution 100 mg/ml</i>	(cyclosporine modified)	2	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML		5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML		5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML		5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML		5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML		5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML		5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML		5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML		5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML		5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML		5	PA; NM; NDS; Only NDCs starting with 00074
<i>infliximab intravenous recon soln</i> <i>100 mg</i>	(Remicade)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i>	2	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	2	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i>	2	PA BvD
NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG	5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (5), 10 MG (4)-20 MG (4)-30 MG (4), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD
RASUVO (PF) SUBCUTANEOUS AUTO-Injector 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	4	ST
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS; QL (360 per 30 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
SELARSDI SUBCUTANEOUS SYRINGE 45 MG/0.5 ML (ustekinumab-aekn)	3	PA
SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML (ustekinumab-aekn)	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML (ustekinumab)	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML (ustekinumab)	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML (ustekinumab)	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TAVNEOS ORAL CAPSULE 10 MG	5	PA; NM; NDS; QL (180 per 30 days)
TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)	5	PA; NM; NDS
TREMFYA PEN INDUCTION PK-CROHN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NM; NDS
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	5	PA; NM; NDS
TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	3	PA
YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	3	PA
YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML	5	PA; NM; NDS
YUFLYMA(CF) AI CROHN'S-UC- HS SUBCUTANEOUS AUTO- INJECTOR, KIT 80 MG/0.8 ML	5	PA; NM; NDS
YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
YUFLYMA(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
<b>Vaccines</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	3	\$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	3	\$0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	\$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML	3	\$0 copay
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD; \$0 copay
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD; \$0 copay
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD; \$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	\$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	3	PA BvD; \$0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	\$0 copay
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	3	\$0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	3	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	\$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	\$0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	\$0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	\$0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	3	\$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	3	\$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	3	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	\$0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF- 20MCG-5LF- 62 DU/0.5 ML	3	
PREHEVBRIOD (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD; \$0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	3	\$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD; \$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	3	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	\$0 copay
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	\$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	\$0 copay
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	\$0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	3	\$0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	3	\$0 copay
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	3	\$0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	\$0 copay
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	3	\$0 copay
VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML	3	\$0 copay
VIVOTIF ORAL CAPSULE,DELAYED RELEASE(DR/EC) 2 BILLION UNIT	3	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	3	\$0 copay
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosetron oral tablet 0.5 mg, 1 mg (Lotronex)</i>	2	
<i>balsalazide oral capsule 750 mg (Colazal)</i>	2	
<i>budesonide oral capsule,delayed,extend.release 3 mg</i>	2	
<i>budesonide rectal foam 2 mg/actuation (Uceris)</i>	2	
<i>hydrocortisone rectal enema 100 mg/60 ml (Cortenema)</i>	2	
<i>mesalamine oral capsule, extended release 500 mg (Pentasa)</i>	2	
<i>mesalamine oral capsule,extended release 24hr 0.375 gram (Apriso)</i>	2	
<i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram (Lialda)</i>	2	QL (120 per 30 days)
<i>sulfasalazine oral tablet 500 mg (Azulfidine)</i>	2	
<i>sulfasalazine oral tablet,delayed release (dr/ec) 500 mg (Azulfidine EN-tabs)</i>	4	
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral solution 70 mg/75 ml</i>	2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg (Fosamax)</i>	1	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	
<i>cinacalcet oral tablet 30 mg, 60 mg (Sensipar)</i>	2	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg (Sensipar)</i>	5	NM; NDS; QL (120 per 30 days)
<i>ibandronate oral tablet 150 mg</i>	2	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg (Zemplar)</i>	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	4	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>teriparatide 560 mcg/2.24 ml 20 mcg/dose (560mcg/2.24ml)</i>	5	PA; NM; NDS; QL (2.48 per 28 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>	5	PA; NM; NDS; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	5	PA; NM; NDS; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<b>Miscellaneous Therapeutic Agents</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION	3	
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NM; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NM; NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	
<i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)	5	PA; NM; NDS; QL (180 per 30 days)
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>mesna oral tablet 400 mg</i> (Mesnex)	5	NM; NDS
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)	2	QL (30 per 30 days)
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VEOZAH ORAL TABLET 45 MG	4	PA; QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NM; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops (Alphagan P) 0.1 %, 0.15 %</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	
<i>brimonidine-timolol ophthalmic (eye) (Combigan) drops 0.2-0.5 %</i>	2	
<i>brinzolamide ophthalmic (eye) (Azopt) drops, suspension 1 %</i>	2	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i>	2		
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	QL (2.5 per 25 days)	
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2		
<b>LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %</b>	3	QL (2.5 per 25 days)	
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2		
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2		
<b>RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %</b>	3	QL (2.5 per 25 days)	
<b>ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %</b>	3	QL (2.5 per 25 days)	
<b>SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %</b>	3		
<i>tafluprost (pf) ophthalmic (eye) (Zioptan (PF)) dropperette 0.0015 %</i>	2	QL (30 per 30 days)	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1		
<i>timolol ophthalmic (eye) drops 0.5 % (Betimol)</i>	1		
<i>travoprost ophthalmic (eye) drops (Travatan Z) 0.004 %</i>	2	QL (2.5 per 25 days)	
<b>VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %</b>	4	QL (5 per 30 days)	
<b>Replacement Preparations</b>			
<b>Replacement Preparations</b>			
<i>d5 % (d-glucose)-0.9 % sodchl intravenous parenteral solution</i>	(d5 % and 0.9 % sodium chloride)	2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	(D5 % (d-glucose)-0.9 % sodchl)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	(potassium chloride)	2
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	(potassium chloride)	2
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	(potassium chloride)	2
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>	4	
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>	2	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet extended release 10 meq</i>	(Klor-Con 10)	2
<i>potassium chloride oral tablet extended release 15 meq, 20 meq</i>	2	
<i>potassium chloride oral tablet extended release 8 meq</i>	(Klor-Con 8)	2
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	(Klor-Con M10)	2
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i>	(Klor-Con M15)	2
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i>	(Klor-Con M20)	2
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i>	(Urocit-K 10)	2
<i>potassium citrate oral tablet extended release 15 meq</i>	(Urocit-K 15)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	2		
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2		
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2		
<i>sodium chloride 0.9% solution mini-bag, single use</i>	2		
<b>Respiratory Tract Agents</b>			
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>			
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	(fluticasone propion-salmeterol)	3	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION		3	QL (32.1 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION		3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE		3	QL (60 per 30 days)
<i>breyna inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	(budesonide-formoterol)	2	QL (30.9 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i>	(Pulmicort)	2	PA BvD; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<i>budesonide-formoterol inhalation hfa (Breyna) aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	2	QL (30.6 per 30 days)	
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>	2	QL (12 per 30 days)	
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>	2	QL (24 per 30 days)	
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>	2	QL (21.2 per 30 days)	
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	2	QL (60 per 30 days)	
<i>wixela inhlu inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(fluticasone propion-salmeterol)	2	QL (60 per 30 days)
<b>Antileukotrienes</b>			
<i>montelukast oral tablet 10 mg</i>	(Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	(Singulair)	2	
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	(Accolate)	2	
<b>Bronchodilators</b>			
<i>AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION</i>	3	QL (32.1 per 30 days)	
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i>	(Ventolin HFA)	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>		2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>		2	QL (36 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	2	PA BvD
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION (umeclidinium-vilanterol)	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
<i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i> (Spiriva with HandiHaler)	2	QL (30 per 30 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	QL (60 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
ALYFTREK ORAL TABLET 10-50-125 MG	5	PA; NM; NDS; QL (60 per 30 days)
ALYFTREK ORAL TABLET 4-20-50 MG	5	PA; NM; NDS; QL (90 per 30 days)
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-Injector 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL TABLET 100- 125 MG, 200-125 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	2	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	2	QL (30 per 30 days)
WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2)	5	PA; NM; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-Injector 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200</i> (Nuvigil) <i>mg, 250 mg, 50 mg</i>	2	PA; QL (30 per 30 days)
<i>BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</i>	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3</i> (Lunesta) <i>mg</i>	2	QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500</i> (Xyrem) <i>mg/ml</i>	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>zolpidem oral tablet 10 mg, 5 mg</i>	(Ambien)	1	QL (30 per 30 days)
<i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i>	(Ambien CR)	2	QL (30 per 30 days)
<b>Vasodilating Agents</b>			
<b>Vasodilating Agents</b>			
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG		5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	(tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i>	(Tracleer)	5	PA; NM; LA; NDS; QL (60 per 30 days)
OPSUMIT ORAL TABLET 10 MG		5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>	(Revatio)	2	PA; QL (360 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i>	(Viagra)	1	EX; CB (6 EA per 30 days)
<i>tadalafil oral tablet 2.5 mg</i>		2	PA
<i>tadalafil oral tablet 5 mg</i>	(Cialis)	2	PA
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG		5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG		5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG		5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)		5	PA; NM; NDS
<b>Vitamins And Minerals</b>			
<b>Vitamins And Minerals</b>			

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bal-care dha combo pack 27-1-430 mg</i>	2	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	2	
<i>completenate tablet chew 29 mg iron-1 mg</i>	2	
<i>folivane-ob capsule 85-1 mg</i>	2	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	
<i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	2	
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	
<i>mynatal oral tablet 90-1-50 mg</i>	2	
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	
<i>newgen tablet 32-1,000 mg-mcg</i>	2	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	2	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	
<i>o-cal prenatal oral tablet 15 mg iron- 1,000 mcg</i>	2	
<i>pnv 29-1 oral tablet 29 mg iron- 1 mg</i>	2	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	2		
<i>pnv-omega softgel 28-1-300 mg</i>	2		
<i>pr natal 400 combo pack 29-1-400 mg</i>	2		
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2		
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	2		
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2		
<i>prena1 true combo pack 30 mg iron-1.4 mg-300 mg</i>	2		
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	2		
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	2		
<i>prenatabs fa tablet 29-1 mg</i>	2		
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	2		
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	2		
<i>prenatal low iron oral tablet 27 mg iron- 1 mg</i>	2		
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	(pnv,calcium 72-iron,carb-folic)	2	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	2	
<i>prenatal-u capsule 106.5-1 mg</i>	2		
<i>preplus oral tablet 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	2	
<i>pretab oral tablet 29-1 mg</i>	2		
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	2		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>taron-c dha capsule 35-1-200 mg</i>	2	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	2	
<i>triveen-duo dha oral combo pack 29-1-400 mg</i>	2	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	2	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	2	
<i>virt-pn plus oral capsule 28-1-300 mg</i>	2	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	2	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	2	
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	2	
<i>vp-pnv-dha oral capsule 28 mg iron-1 mg-200 mg</i>	2	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

## INDEX

1ST TIER UNIFINE PENTIPS .....	120	AIMOVIG AUTOINJECTOR .....	64	<i>amlodipine-valsartan-hcthiazid</i> .....	96
1ST TIER UNIFINE PENTIPS PLUS .....	120	AIRSUPRA .....	206, 207	<i>ammonium lactate</i> .....	115
<i>abacavir</i> .....	78	AJOVY AUTOINJECTOR .....	65	<i>amoxapine</i> .....	52
<i>abacavir-lamivudine</i> .....	78	AJOVY SYRINGE .....	65	<i>amoxicil-clarithromy-lansopraz</i> .....	175
ABELCET .....	61	AKEEGA .....	26	<i>amoxicillin</i> .....	22
ABILIFY ASIMTUFII .....	70	<i>ala-cort</i> .....	117	<i>amoxicillin-pot clavulanate</i> .....	22
ABILIFY MAINTENA .....	71	<i>albendazole</i> .....	68	<i>amphotericin b</i> .....	61
<i>abiraterone</i> .....	26	<i>albuterol sulfate</i> .....	207, 208	<i>amphotericin b liposome</i> .....	61
<i>abirtega</i> .....	26	ALCOHOL PADS .....	121	<i>ampicillin</i> .....	22
ABOUTTIME PEN NEEDLE .....	120	ALCOHOL PREP PADS .....	143	<i>ampicillin sodium</i> .....	23
ABRYNSVO (PF) .....	194	ALCOHOL PREP SWABS .....	121	<i>ampicillin-sulbactam</i> .....	23
<i>acamprosate</i> .....	15	ALCOHOL SWABS .....	121	<i>anagrelide</i> .....	88
<i>acarbose</i> .....	55	ALCOHOL WIPES .....	121	<i>anastrozole</i> .....	26
<i>acebutolol</i> .....	93	ALECENSA .....	26	ANKTIVA .....	26
<i>acetaminophen-codeine</i> .....	11	<i>alendronate</i> .....	200	ANORO ELLIPTA .....	208
<i>acetazolamide</i> .....	203	<i>alfuzosin</i> .....	179	<i>aprepitant</i> .....	67
<i>acetazolamide sodium</i> .....	203	<i>aliskiren</i> .....	100	APRETUDE .....	78
<i>acetic acid</i> .....	172	<i>allopurinol</i> .....	63, 64	<i>apri</i> .....	105
<i>acetylcysteine</i> .....	209	<i>alosetron</i> .....	200	APTIVUS .....	78
<i>acitretin</i> .....	115	<i>alprazolam</i> .....	16	AQINJECT PEN NEEDLE .....	121
ACTEMRA .....	186	ALREX .....	174	ARCALYST .....	186
ACTEMRA ACTPEN .....	186	<i>altavera</i> (28) .....	105	AREXVY (PF) .....	194
ACTHAR .....	183	ALTRENO .....	119	ARIKAYCE .....	18
ACTHAR SELFJECT .....	183	ALUNBRIG .....	26	<i>aripiprazole</i> .....	71
ACTHIB (PF) .....	194	ALVAIZ .....	87	ARISTADA .....	71
ACTIMMUNE .....	202	<i>alyacen</i> 1/35 (28) .....	105	ARISTADA INITIO .....	71
<i>acyclovir</i> .....	85, 115	<i>alyacen</i> 7/7/7 (28) .....	105	<i>armodafinil</i> .....	211
<i>acyclovir sodium</i> .....	85	ALYFTREK .....	209	ARNUITY ELLIPTA .....	206
ADACEL(TDAP ADOLESN/ADULT)(PF) .....	194	<i>alyq</i> .....	212	<i>asenapine maleate</i> .....	71
<i>adapalene</i> .....	119	<i>amantadine hcl</i> .....	69	<i>aspirin-dipyridamole</i> .....	88
<i>adefovir</i> .....	85	<i>amethyst</i> (28) .....	105	ASSURE ID DUO PRO SFTY PEN NDL .....	122
ADEMPAS .....	212	<i>amikacin</i> .....	18	ASSURE ID DUO-SHIELD .....	122
<i>adrucil</i> .....	26	<i>amiloride</i> .....	97	ASSURE ID INSULIN SAFETY .....	122
ADVAIR HFA .....	206	<i>amiloride-hydrochlorothiazide</i> .....	97	ASSURE ID PEN NEEDLE .....	122
ADVOCATE PEN NEEDLE .....	121	<i>amiodarone</i> .....	92	ASSURE ID PRO PEN NEEDLE .....	122
ADVOCATE SYRINGES	120, 121	<i>amitriptyline</i> .....	52	ASTAGRAF XL .....	186
<i>afirmelle</i> .....	105	<i>amlodipine</i> .....	96	<i>atazanavir</i> .....	78
		<i>amlodipine-atorvastatin</i> .....	98	<i>atenolol</i> .....	93
		<i>amlodipine-benazepril</i> .....	96		
		<i>amlodipine-olmesartan</i> .....	96		
		<i>amlodipine-valsartan</i> .....	96		

<i>atenolol-chlorthalidone</i>	93	BEXSERO	194
<i>atomoxetine</i>	101	<i>bicalutamide</i>	27
<i>atorvastatin</i>	98	BICILLIN L-A	23
<i>atovaquone</i>	68	BIKTARVY	78
<i>atovaquone-proguanil</i>	68	<i>bimatoprost</i>	203
<i>atropine</i>	171	<i>bisoprolol fumarate</i>	93
ATROVENT HFA	208	<i>bisoprolol-hydrochlorothiazide</i>	93
<i>aubra eq</i>	106		
AUGTYRO	26	BIZENGRI	27
<i>aurovela 1.5/30 (21)</i>	106	<i>bleomycin</i>	27
<i>aurovela 1/20 (21)</i>	106	<i>blisovi 24 fe</i>	106
<i>aurovela 24 fe</i>	106	<i>blisovi fe 1.5/30 (28)</i>	106
<i>aurovela fe 1.5/30 (28)</i>	106	<i>blisovi fe 1/20 (28)</i>	106
<i>aurovela fe 1-20 (28)</i>	106	BOOSTRIX TDAP	194
AUSTEDO	101	BORDERED GAUZE	125
AUSTEDO XR	101, 102	<i>bortezomib</i>	27
AUSTEDO XR TITRATION		BORUZU	27
KT(WK1-4)	102	<i>bosentan</i>	212
AUTOSHIELD DUO PEN		BOSULIF	27, 28
NEEDLE	122	BRAFTOVI	28
AUVELITY	52	BREO ELLIPTA	206
<i>aviane</i>	106	<i>breyna</i>	206
AVMAPKI	26	BREZTRI AEROSPHERE	208
AVMAPKI-FAKZYNJA	26	BRILINTA	88
AVONEX	102	<i>brimonidine</i>	203
AXTLE	26	<i>brimonidine-timolol</i>	203
<i>ayuna</i>	106	<i>brinzolamide</i>	203
AYVAKIT	27	BRIVIACT	45
<i>azacitidine</i>	27	<i>bromfenac</i>	174
<i>azathioprine</i>	186	<i>bromocriptine</i>	69
<i>azathioprine sodium</i>	186	BRONCHITOL	209
<i>azelastine</i>	171	BRUKINSA	28
<i>azithromycin</i>	21	<i>budesonide</i>	200, 206
<i>aztreonam</i>	21	<i>budesonide-formoterol</i>	207
<i>azurette (28)</i>	106	<i>bumetanide</i>	97
<i>bacitracin</i>	172	<i>buprenorphine</i>	11
<i>bacitracin-polymyxin b</i>	172	<i>buprenorphine hcl</i>	15
<i>baclofen</i>	211	<i>buprenorphine-naloxone</i>	15
<i>bal-care dha</i>	213	<i>bupropion hcl</i>	52
<i>bal-care dha essential</i>	213	<i>bupropion hcl (smoking deter)</i>	16
<i>balsalazide</i>	200		
BALVERSA	27	<i>buspirone</i>	202
BAQSIMI	202	<i>butalbital-acetaminop-caf-cod</i>	11
BCG VACCINE, LIVE (PF)			
	194	<i>butalbital-acetaminophen-caff</i>	11
BD ALCOHOL SWABS	124	CABENUVA	78
BD AUTOSHIELD DUO PEN		<i>cabergoline</i>	69
NEEDLE	122		

CABOMETYX.....	28
<i>cabotegravir</i> .....	78, 79
<i>calcipotriene</i> .....	115, 116
<i>calcitonin (salmon)</i> .....	201
<i>calcitriol</i> .....	201
<i>calcium acetate(phosphat bind)</i> .....	178
CALQUENCE.....	28
CALQUENCE (ACALABRUTINIB MAL) .....	28
<i>camila</i> .....	106
CAMZYOS.....	95
<i>candesartan</i> .....	90
<i>candesartan-hydrochlorothiazid</i> .....	90
CAPLYTA.....	71
CAPRELSA.....	28
<i>captопril</i> .....	91
<i>carbamazepine</i> .....	46
<i>carbidopa-levodopa</i> .....	69
CAREFINE PEN NEEDLE .....	125
CARETOUCH ALCOHOL PREP PAD.....	125
CARETOUCH INSULIN SYRINGE.....	125, 126
CARETOUCH PEN NEEDLE .....	125
<i>carglumic acid</i> .....	176
<i>carteolol</i> .....	203
<i>cartia xt</i> .....	94
<i>carvedilol</i> .....	93
CAYSTON .....	21
<i>cefaclor</i> .....	19
<i>cefadroxil</i> .....	19
<i>cefazolin</i> .....	20
<i>cefdinir</i> .....	20
<i>cefepime</i> .....	20
<i>cefixime</i> .....	20
<i>cefoxitin</i> .....	20
<i>cefpodoxime</i> .....	20
<i>cefprozil</i> .....	20
<i>ceftazidime</i> .....	20
<i>ceftriaxone</i> .....	20
<i>cefuroxime axetil</i> .....	20
<i>cefuroxime sodium</i> .....	20
<i>celecoxib</i> .....	13
<i>cephalexin</i> .....	20
<i>cevimeline</i> .....	115
<i>chateal eq (28)</i> .....	106
<i>chlordiazepoxide hcl</i> .....	16
<i>chlorhexidine gluconate</i> .....	115
<i>chloroquine phosphate</i> .....	68
<i>chlorpromazine</i> .....	72
<i>chlorthalidone</i> .....	97
<i>cholestyramine (with sugar)</i> .....	98
<i>cholestyramine light</i> .....	98
<i>ciclopirox</i> .....	61, 62
<i>cilostazol</i> .....	88
CIMDUO .....	79
<i>cimetidine hcl</i> .....	175
CIMZIA .....	187
CIMZIA POWDER FOR RECONST .....	187
<i>cinacalcet</i> .....	201
CINQAIR .....	209
<i>ciprofloxacin hcl</i> .....	24, 172
<i>ciprofloxacin in 5 % dextrose</i> .....	24
<i>ciprofloxacin-dexamethasone</i> .....	172
<i>citalopram</i> .....	52, 53
<i>clarithromycin</i> .....	21
CLENPIQ .....	178
CLICKFINE PEN NEEDLE .....	126, 139
<i>clindamycin hcl</i> .....	18
<i>clindamycin phosphate</i> .....	18, 64, 116
<i>clindamycin-benzoyl peroxide</i> .....	116
CLINIMIX 6%-D5W (SULFITE-FREE) .....	89
CLINIMIX 8%- D10W(SULFITE-FREE) .....	89
CLINIMIX 8%- D14W(SULFITE-FREE) .....	89
CLINIMIX E 8%-D10W SULFITEFREE .....	89
CLINIMIX E 8%-D14W SULFITEFREE .....	89
<i>clobazam</i> .....	46
<i>clobetasol</i> .....	118
<i>clobetasol-emollient</i> .....	118
<i>clomipramine</i> .....	53
<i>clonazepam</i> .....	16, 17
<i>clonidine</i> .....	89
<i>clonidine hcl</i> .....	89
<i>clopidogrel</i> .....	88
<i>clorazepate dipotassium</i> .....	17
<i>clotrimazole</i> .....	62
<i>clotrimazole-betamethasone</i> .....	62
<i>clozapine</i> .....	72
<i>c-nate dha</i> .....	213
COARTEM .....	68
COBENFY .....	72
COBENFY STARTER PACK .....	72
<i>colchicine</i> .....	64
<i>colesevelam</i> .....	98
<i>colestipol</i> .....	98
<i>colistin (colistimethate na)</i> .....	18
COMBIVENT RESPIMAT .....	208
COMETRIQ .....	28
COMFORT EZ INSULIN SYRINGE .....	126, 127, 128
COMFORT EZ PEN NEEDLES .....	127
COMFORT EZ PRO SAFETY PEN NDL .....	127, 128
COMFORT TOUCH PEN NEEDLE .....	128, 129
COMPLERA .....	79
<i>completenate</i> .....	213
<i>compro</i> .....	67
<i>constulose</i> .....	176
COPIKTRA .....	28
CORLANOR .....	95
CORTROPHIN GEL .....	183
COSENTYX .....	187, 202
COSENTYX (2 SYRINGES) .....	187
COSENTYX PEN (2 PENS) .....	187
COSENTYX UNOREADY PEN .....	187
COTELLIC .....	28
CREON .....	170
CRESEMBOLA .....	62
<i>cromolyn</i> .....	171, 176, 209
<i>cryselle (28)</i> .....	106
CURAD GAUZE PAD.....	129

CURITY ALCOHOL SWABS .....	129
CURITY GAUZE.....	129
<i>cyclafem 1/35 (28)</i> .....	106
<i>cyclafem 7/7/7 (28)</i> .....	106
<i>cyclobenzaprine</i> .....	211
<i>cyclophosphamide</i> .....	28, 29
<i>cyclosporine</i> .....	174, 187
<i>cyclosporine modified</i> .....	187
CYLTEZO(CF) .....	188
CYLTEZO(CF) PEN .....	188
CYLTEZO(CF) PEN CROHN'S-UC-HS.....	187
CYLTEZO(CF) PEN PSORIASIS-UV .....	188
cyred eq .....	107
d5 % ( <i>d-glucose</i> )-0.9 % <i>sodchl</i> .....	204
d5 % and 0.9 % sodium <i>chloride</i> .....	204
d5 %-0.45 % sodium chloride .....	205
dabigatran etexilate.....	86
dalfampridine .....	102
danazol .....	180
dantrolene .....	211
DANYELZA .....	29
DANZITEN .....	29
dapsone.....	66
DAPTACEL (DTAP PEDIATRIC) (PF).....	194
daptomycin .....	18
darunavir .....	79
dasatinib .....	29
dasetta 1/35 (28).....	107
dasetta 7/7/7 (28).....	107
DATROWAY .....	29
DAURISMO.....	29
deblitane .....	107
decitabine .....	29
deferasirox.....	180
DELSTRIGO .....	79
demeclocycline .....	24
DENGVAXIA (PF) .....	195
denta 5000 plus.....	115
dentagel .....	115
DEPO-SUBQ PROVERA	104
.....	185
DERMACEA .....	129
DERMACEA NON-WOVEN .....	129
<i>dermacinrx lidocan</i> .....	15
DESCOVY .....	79
desipramine .....	53
desmopressin .....	183
desog-e.estradiol/e.estradiol .....	107
desogestrel-ethinyl estradiol .....	107
desvenlafaxine succinate .....	53
dexamethasone .....	182
dexamethasone sodium <i>phosphate</i> .....	174, 182
dextroamphetamine- <i>amphetamine</i> .....	102
dextrose 5 % in water ( <i>d5w</i> )	89
DIACOMIT .....	46
diazepam .....	17, 46
diazepam intensol .....	17
diazoxide .....	202
diclofenac epolamine .....	13
diclofenac potassium.....	13
diclofenac sodium...13, 14, 174	
diclofenac-misoprostol .....	14
dicloxacillin.....	23
dicyclomine .....	177
didanosine .....	79
DIFICID .....	21
disfluprednate .....	174
digoxin.....	95
dihydroergotamine .....	65
diltiazem hcl .....	94
dilt-xr.....	94
dimethyl fumarate.....	102
diphenoxylate-atropine .....	177
dipyridamole .....	88
disulfiram .....	16
divalproex.....	46
dofetilide.....	92
dolishale .....	107
donepezil .....	51
dorzolamide.....	203
dorzolamide-timolol .....	204
DOVATO.....	79
doxazosin.....	89
doxepin .....	53
doxorubicin, peg-liposomal .....	29
doxy-100 .....	24
doxycycline hyclate .....	25
doxycycline monohydrate ....	25
DRIZALMA SPRINKLE ....	53
dronabinol.....	67
DROPLET INSULIN SYR(HALF UNIT).....	129,
130, 131	
DROPLET INSULIN SYRINGE.....	130, 131, 132
DROPLET MICRON PEN NEEDLE.....	132
DROPLET PEN NEEDLE	132
DROPSAFE ALCOHOL PREP PADS.....	132
DROPSAFE INSULIN SYRINGE .....	132, 133
DROPSAFE PEN NEEDLE .....	133
droxidopa .....	90
DUAVEE .....	181
duloxetine.....	53
DUPIXENT PEN.....	188
DUPIXENT SYRINGE .....	188
dutasteride .....	180
EASY COMFORT ALCOHOL PAD .....	134
EASY COMFORT INSULIN SYRINGE .....	133, 134, 135
EASY COMFORT PEN NEEDLES.....	134, 135
EASY COMFORT SAFETY PEN NEEDLE .....	133
EASY GLIDE INSULIN SYRINGE .....	135
EASY GLIDE PEN NEEDLE .....	135
EASY TOUCH .....	137
EASY TOUCH ALCOHOL PREP PADS.....	136
EASY TOUCH FLIPLOCK INSULIN .....	136, 137
EASY TOUCH FLIPLOCK SYRINGE .....	136
EASY TOUCH INSULIN SAFETY SYR .....	135, 136

EASY TOUCH INSULIN SYRINGE.....	135, 136, 137, 138
EASY TOUCH LUER LOCK INSULIN .....	137
EASY TOUCH PEN NEEDLE .....	137
EASY TOUCH SAFETY PEN NEEDLE.....	137, 138
EASY TOUCH SHEATHLOCK INSULIN .....	136, 137
EASY TOUCH UNI-SLIP 138	
econazole nitrate .....	62
EDURANT .....	79
EDURANT PED .....	79
efavirenz .....	79
efavirenz-emtricitabin-tenofovir .....	79
efavirenz-lamivu-tenofovir disop .....	79
ELAHERE .....	29
ELEPSIA XR.....	46, 47
ELIGARD.....	30
ELIGARD (3 MONTH) .....	29
ELIGARD (4 MONTH) .....	29
ELIGARD (6 MONTH) .....	30
elinet.....	107
ELIQUIS.....	86
ELIQUIS DVT-PE TREAT 30D START.....	86
ELREXFIO.....	30
eluryng.....	107
EMBRACE PEN NEEDLE .....	138
EMCYT .....	30
EMGALITY PEN.....	65
EMGALITY SYRINGE.....	65
emoquette.....	107
EMRELIS .....	30
EMSAM .....	53
emtricitabine .....	79
emtricitabine-tenofovir (tdf) 79	
emtricitabine-rilpivirine-tenof df80	
EMTRIVA .....	80
emzahh.....	107
enalapril maleate.....	91
enalapril-hydrochlorothiazide .....	91
ENBREL .....	188
ENBREL MINI .....	188
ENBREL SURECLICK .....	188
endocet .....	11
ENGERIX-B (PF) .....	195
ENGERIX-B PEDIATRIC (PF).....	195
enilloring .....	107
enoxaparin .....	86
enpresse.....	107
enskyce .....	107
entacapone .....	70
entecavir .....	85
ENTRESTO .....	90
ENTRESTO SPRINKLE .....	90
enulose.....	177
EPCLUSA .....	84
EPIDIOLEX .....	47
epinastine .....	171
epinephrine.....	95
epitol.....	47
EPIVIR HBV .....	80
EPKINLY .....	30
eplerenone .....	100
EPRONTIA .....	47
ERBITUX .....	30
ergoloid .....	51
ERIVEDGE .....	30
ERLEADA .....	30
erlotinib .....	30
errin .....	107
ertapenem .....	21
erythromycin .....	21, 172
erythromycin ethylsuccinate.21	
erythromycin with ethanol .116	
ERZOFRI .....	72
escitalopram oxalate .....	53
eslicarbazepine.....	47
esomeprazole magnesium...176	
estarrylla.....	107
estradiol .....	181
estradiol-norethindrone acet .....	181
eszopiclone .....	211
ethambutol.....	66
ethosuximide.....	47
ethynodiol diac-eth estradiol .....	107, 108
etodolac.....	14
etonogestrel-ethinyl estradiol .....	108
ETOPOPHOS .....	30
etoposide .....	30
etravirine.....	80
EUCRISA .....	118
EULEXIN .....	30
everolimus (antineoplastic) .31	
everolimus (immunosuppressive) .....	188
EVOTAZ .....	80
exemestane .....	31
EXTENCILINE.....	23
EYSUVIS .....	174
ezetimibe .....	98
ezetimibe-simvastatin.....	98, 99
FAKZYNJA .....	31
falmina (28) .....	108
famciclovir .....	85
samotidine .....	176
FANAPT .....	72
FANAPT TITRATION PACK A .....	73
FARXIGA.....	55
FASENRA .....	209
FASENRA PEN.....	209
febuxostat .....	64
feirza .....	108
felbamate .....	47
felodipine .....	96
femynor .....	108
fenofibrate .....	99
fenofibrate micronized .....	99
fenofibrate nanocrystallized	99
fentanyl .....	12
fentanyl citrate .....	12
fesoterodine.....	179
FETZIMA .....	53
FIASP FLEXTOUCH U-100 INSULIN .....	58
FIASP PENFILL U-100 INSULIN .....	58
FIASP U-100 INSULIN .....	58
finasteride .....	180
fingolimod .....	103

FINTEPLA .....	47
FIRMAGON KIT W	
DILUENT SYRINGE ....	31
flavoxate .....	179
flecainide .....	92
floxuridine.....	31
fluconazole.....	62
fluconazole in nacl (iso-osm) .....	62
flucytosine.....	62
fludrocortisone .....	182
flunisolide .....	174
fluocinolone .....	118
fluocinolone acetonide oil .	174
fluocinonide .....	118
fluoride (sodium) .....	115
fluorometholone.....	174
fluorouracil.....	31, 116
fluoxetine .....	53, 54
fluphenazine decanoate .....	73
fluphenazine hcl.....	73
flurbiprofen.....	14
flurbiprofen sodium .....	175
flutamide .....	31
fluticasone propionate .....	118, 175, 207
fluticasone propion-salmeterol .....	207
fluvastatin .....	99
fluvoxamine.....	54
folivane-ob .....	213
fondaparinux.....	86
fosamprenavir.....	80
fosinopril.....	91
flosphenytoin .....	92
fotivda .....	31
freestyle precision.....	139
fruzaqla .....	31
fulvestrant .....	31
furosemide .....	97
fuzeon .....	80
fyarro .....	31
fycompa .....	47
gabapentin .....	47, 48
galantamine .....	52
gallifrey.....	185
gammex-c .....	188
gardasil 9 (pf) .....	195
gauze pad .....	139
gavilyte-c .....	178
gavilyte-g.....	178
gavilyte-n .....	178
gavreto.....	31
gefitinib .....	32
gemfibrozil .....	99
generlac .....	177
genograf .....	188, 189
gentak .....	172
gentamicin .....	18, 116, 172
gentamicin sulfate (ped) (pf)	18
gentamicin sulfate (pf).....	18
genvoya .....	80
gilotrif .....	32
glatiramer.....	103
glatopa .....	103
gleostine .....	32
glimepiride .....	61
glipizide .....	61
glipizide-metformin .....	61
glutamine (sickle cell) .....	202
glyburide .....	61
glyburide micronized.....	61
glyburide-metformin .....	61
glycopyrrolate .....	177
glydo .....	15
glyxambi .....	55
gomekli .....	32
griseofulvin microsize .....	62
griseofulvin ultramicrosize .....	62
guanfacine .....	90, 103
gvoke .....	202
gvoke hypopen 2-pack .....	202
gvoke pfs 1-pack .....	202
syringe .....	202
haegarda .....	87
hailey 24 fe .....	108
hailey fe 1.5/30 (28) .....	108
hailey fe 1/20 (28) .....	108
halobetasol propionate .....	118
haloette .....	108
haloperidol .....	73
haloperidol decanoate.....	73
haloperidol lactate .....	73
harvoni .....	84
havrix (pf).....	195
healthwise insulin	
syringe .....	140
healthwise pen	
needle .....	140
healthy accents	
unifine pentip .....	140
heather .....	108
heparin (porcine) .....	86
heplisav-b (pf) .....	195
herceptin hylecta....	32
herzuma .....	32
hiberix (pf) .....	195
humira .....	189
humira pen .....	189
humira pen crohns-uc-hs start .....	189
humira pen psor-uveits-adol hs.....	189
humira(cf) .....	189
humira(cf) pedi	
crohns starter ....	189
humira(cf) pen .....	189
humira(cf) pen	
crohns-uc-hs .....	189
humira(cf) pen	
pediatric uc .....	189
humira(cf) pen psor-uv-adol hs .....	189
humulin r u-500 (conc) insulin .....	58
humulin r u-500 (conc) kwikpen .....	59
hydralazine .....	96
hydrochlorothiazide .....	97
hydrocodone-acetaminophen .....	12
hydrocortisone ..	118, 119, 182, 200
hydrocortisone valerate .....	119
hydrocortisone-acetic acid .....	172
hydromorphone .....	12
hydroxychloroquine .....	68
hydroxyurea .....	32
hydroxyzine hcl .....	64
hydroxyzine pamoate .....	202
ibandronate .....	201

IBRANCE	32
<i>ibu</i>	14
<i>ibuprofen</i>	14
<i>icatibant</i>	96
<i>iclevia</i>	108
ICLUSIG	32
<i>icosapent ethyl</i>	99
IDHIFA	32
<i>ifosfamide</i>	32
ILEVRO	175
<i>imatinib</i>	32, 33
IMBRUVICA	33
IMDELLTRA	33
<i>imipenem-cilastatin</i>	22
<i>imipramine hcl</i>	54
<i>imiquimod</i>	116
IMJUDO	33
IMKELDI	33
IMOVAZ RABIES VACCINE (PF)	195
IMPAVIDO	68
incassia	108
INCONTROL ALCOHOL PADS	140
INCONTROL PEN NEEDLE	141
INCRELEX	183
indapamide	97
indomethacin	14
INFANRIX (DTAP) (PF)	195
infliximab	189
INGREZZA	103
INGREZZA INITIATION PK(TARDIV)	103
INGREZZA SPRINKLE	103
INLYTA	33
INPEN (FOR HUMALOG) BLUE	141
INPEN (NOVOLOG OR FIASP) BLUE	141
INQOVI	33
INREBIC	33
insulin asp prt-insulin aspart	59
<i>insulin aspart u-100</i>	59
INSULIN SYR/NDL U100 HALF MARK	141
INSULIN SYRINGE	123
MICROFINE	123
INSULIN SYRINGE NEEDLELESS	142
INSULIN SYRINGE- NEEDLE U-100	138, 141, 142, 147, 149, 151, 156, 160, 161
INSULIN U-500 SYRINGE- NEEDLE	142
INSUPEN PEN NEEDLE	142, 143
INTELENCE	80
INTRON A	85
INVEGA HAFYERA	73
INVEGA SUSTENNA	73, 74
INVEGA TRINZA	74
INVELTYS	175
IPOL	196
<i>ipratropium bromide</i>	171, 208
<i>ipratropium-albuterol</i>	208
irbesartan	90
<i>irbesartan-hydrochlorothiazide</i>	90
ISENTRESS	80
ISENTRESS HD	80
isibloom	108
isoniazid	66
ISOPROPYL ALCOHOL	116
isosorbide dinitrate	100
isosorbide mononitrate	100, 101
ITOVEBI	33
itraconazole	62
IV PREP WIPES	143
ivabradine	96
ivermectin	68
IWLFIN	33
IXCHIQ (PF)	196
IXIARO (PF)	196
JAKAFI	33
jantoven	86
JANUMET	56
JANUMET XR	56
JANUVIA	56
JARDIANCE	56
javygtor	170
JAYPIRCA	33, 34
JEMPERLI	34
<i>jencycla</i>	108
JENTADUETO	56
JENTADUETO XR	56
jolessa	108
juleber	108
JULUCA	80
junel 1.5/30 (21)	109
junel 1/20 (21)	109
junel fe 1.5/30 (28)	109
junel fe 1/20 (28)	109
junel fe 24	109
JYLAMVO	34
JYNARQUE	97
JYNNEOS (PF)	196
KALETRA	80
KALYDECO	210
kariva (28)	109
kelnor 1/35 (28)	109
kelnor 1/50 (28)	109
KERENDIA	100
KESIMPTA PEN	103
ketoconazole	62, 63
ketorolac	14, 175
KEYTRUDA	34
KIMMTRAK	34
KINERET	190
KINRIX (PF)	196
kionex (with sorbitol)	177
KISQALI	34
KISQALI FEMARA CO- PACK	34
KLISYRI (250 MG)	116
<i>klor-con m10</i>	205
<i>klor-con m15</i>	205
<i>klor-con m20</i>	205
KLOXXADO	16
KOSELUGO	34
kosher prenatal plus iron	213
KRAZATI	34
kurvelo (28)	109
KYLEENA	109
KYNMOBI	70
labetalol	93
lacosamide	48
lactulose	177
lamivudine	80
lamivudine-zidovudine	81

<i>lamotrigine</i>	48
<i>lanreotide</i>	183
<i>lansoprazole</i>	176
LANTUS SOLOSTAR U-100 INSULIN	59
LANTUS U-100 INSULIN	59
<i>lapatinib</i>	34
<i>larin 1.5/30 (21)</i>	109
<i>larin 1/20 (21)</i>	109
<i>larin 24 fe</i>	109
<i>larin fe 1.5/30 (28)</i>	109
<i>larin fe 1/20 (28)</i>	109
<i>larissa</i>	109
<i>latanoprost</i>	204
LAZCLUZE	34, 35
<i>leflunomide</i>	190
<i>lenalidomide</i>	35
LETOCILIN S	23
LENVIMA	35
<i>lessina</i>	110
<i>letrozole</i>	35
<i>leucovorin calcium</i>	202
LEUKERAN	35
<i>leuprolide</i>	35
<i>leuprolide (3 month)</i>	35
<i>levetiracetam</i>	48
<i>levobunolol</i>	204
<i>levocetirizine</i>	64
<i>levofloxacin</i>	24
<i>levofloxacin in d5w</i>	24
<i>levonest (28)</i>	110
<i>levonorgestrel-eth.estriadiol-iron</i>	110
<i>levonorgestrel-ethinyl estrad</i>	110
<i>levonorg-eth estrad triphasic</i>	110
<i>levora-28</i>	110
<i>levothyroxine</i>	186
LEXIVA	81
LIBERVANT	48
<i>lidocaine</i>	15
<i>lidocaine hcl</i>	15
<i>lidocaine viscous</i>	15
<i>lidocaine-prilocaine</i>	15
<i>lidocan iii</i>	15
LILETTA	110
<i>lillow (28)</i>	110
<i>linezolid</i>	19
<i>linezolid in dextrose 5%</i>	19
LINZESS	177
<i>liothyronine</i>	186
LISCO	143
<i>lisinopril</i>	92
<i>lisinopril-hydrochlorothiazide</i>	92
LITE TOUCH INSULIN PEN NEEDLES	143
LITE TOUCH INSULIN SYRINGE	143, 144
<i>lithium carbonate</i>	103
<i>lithium citrate</i>	103
LIVTENCITY	83
LOKELMA	177
LONSURF	35
<i>loperamide</i>	177
<i>lopinavir-ritonavir</i>	81
LOQTORZI	35
<i>lorazepam</i>	17
<i>lorazepam intensol</i>	17
LORBRENA	35
<i>losartan</i>	90
<i>losartan-hydrochlorothiazide</i>	90
LOTEMAX	175
LOTEMAX SM	175
<i>loteprednol etabonate</i>	175
<i>lovastatin</i>	99
<i>low-ogestrel (28)</i>	110
<i>loxapine succinate</i>	74
<i>lubiprostone</i>	177
LUMAKRAS	35
LUMIGAN	204
LUNSUMIO	36
LUPRON DEPOT	36, 184
LUPRON DEPOT (3 MONTH)	36, 184
LUPRON DEPOT (4 MONTH)	36
LUPRON DEPOT (6 MONTH)	36
LUPRON DEPOT-PED	184
LUPRON DEPOT-PED (3 MONTH)	184
<i>lurasidone</i>	74
<i>lutera (28)</i>	110
LUTRATE DEPOT (3 MONTH)	184
LYBALVI	74
<i>lyeq</i>	110
LYNPARZA	36
LYSODREN	36
LYTGOBI	36
<i>lyza</i>	110
MAGELLAN INSULIN SAFETY SYRNG	144
MAGELLAN SYRINGE	144
<i>magnesium sulfate</i>	205
<i>malathion</i>	120
<i>maraviroc</i>	81
MARGENZA	36
<i>marlissa (28)</i>	110
<i>marnatal-f</i>	213
MARPLAN	54
MATULANE	36
MAVENCLAD (10 TABLET PACK)	103
MAVENCLAD (4 TABLET PACK)	104
MAVENCLAD (5 TABLET PACK)	104
MAVENCLAD (6 TABLET PACK)	104
MAVENCLAD (7 TABLET PACK)	104
MAVENCLAD (8 TABLET PACK)	104
MAVENCLAD (9 TABLET PACK)	104
MAXICOMFORT II PEN NEEDLE	145
MAXICOMFORT INSULIN SYRINGE	145
MAXI-COMFORT INSULIN SYRINGE	145
MAXI-COMFORT INSULIN SYRINGE	145
MAXICOMFORT SAFETY PEN NEEDLE	145
MAYZENT	104
MAYZENT STARTER(FOR 1MG MAINT)	104
MAYZENT STARTER(FOR 2MG MAINT)	104

<i>meclizine</i>	67	<i>microgestin fe 1/20 (28)</i>	111	<i>mynatal</i>	213
<i>medroxyprogesterone</i>	185	<i>midodrine</i>	90	<i>mynatal advance</i>	213
<i>mesloquine</i>	68	<i>MIEBO (PF)</i>	171	<i>mynatal plus</i>	213
<i>megestrol</i>	36, 185	<i>mifepristone</i>	56	<i>mynatal-z</i>	213
<b>MEKINIST</b>	36	<i>mil</i>	111	<i>mynate 90 plus</i>	213
<b>MEKTOVI</b>	37	<i>mimvey</i>	181	<b>MYRBETRIQ</b>	179
<i>meleya</i>	111	<b>MINI ULTRA-THIN II</b>	146	<i>nabumetone</i>	14
<i>meloxicam</i>	14	<i>minitran</i>	101	<i>nafcillin</i>	23
<i>memantine</i>	52	<i>minocycline</i>	25	<i>naloxone</i>	16
<b>MENACTRA (PF)</b>	196	<i>minoxidil</i>	101	<i>naltrexone</i>	16
<b>MENQUADFI (PF)</b>	196	<b>MIPLYFFA</b>	170	<b>NANO 2ND GEN PEN NEEDLE</b>	147
<b>MENVEO A-C-Y-W-135-DIP (PF)</b>	196	<b>MIRENA</b>	111	<i>naproxen</i>	14
<i>mercaptopurine</i>	37	<i>mirtazapine</i>	54	<i>naratriptan</i>	65
<i>meropenem</i>	22	<i>misoprostol</i>	176	<b>NATACYN</b>	172
<i>mesalamine</i>	200	<i>mitoxantrone</i>	37	<i>nateglinide</i>	57
<i>mesna</i>	202	<b>M-M-R II (PF)</b>	196	<b>NATPARA</b>	201
<i>metformin</i>	56	<i>m-natal plus</i>	213	<b>NAYZILAM</b>	48
<i>methadone</i>	12	<i>modafinil</i>	211	<i>nebivolol</i>	93
<i>methazolamide</i>	204	<i>moexipril</i>	92	<i>nefazodone</i>	54
<i>methenamine hippurate</i>	19	<i>molindone</i>	74, 75	<i>neomycin</i>	18
<i>methimazole</i>	186	<i>mometasone</i>	119, 175	<i>neomycin-bacitracin-poly-hc</i>	172
<i>methocarbamol</i>	211	<b>MONOJECT INSULIN SAFETY SYRINGE</b>	146, 147	<i>neomycin-bacitracin-polymyxin</i>	172
<i>methotrexate sodium</i>	37	<b>MONOJECT INSULIN SYRINGE</b>	146, 147	<i>polymyxin</i>	172
<i>methotrexate sodium (pf)</i>	37	<b>MONOJECT SYRINGE</b>	146	<i>neomycin-polymyxin b-dexameth</i>	172
<i>methoxsalen</i>	116	<b>MONOJECT ULTRA COMFORT INSULIN</b>	163	<i>neomycin-polymyxin-gramicidin</i>	173
<i>metsuximide</i>	48	<i>mono-linyah</i>	111	<i>neomycin-polymyxin-hc</i>	173
<i>methylphenidate hcl</i>	104	<i>montelukast</i>	207	<i>neo-polycin</i>	173
<i>methylprednisolone</i>	182	<i>morphine</i>	12	<i>neo-polycin hc</i>	173
<i>methylprednisolone acetate</i>	182	<b>MORPHINE</b>	12	<b>NERLYNX</b>	37
<i>metoclopramide hcl</i>	177	<i>morphine concentrate</i>	12	<i>neuac</i>	117
<i>metolazone</i>	97	<b>MOUNJARO</b>	57	<b>NEULASTA ONPRO</b>	87
<i>metoprolol succinate</i>	93	<b>MOVANTIK</b>	177	<i>nevirapine</i>	81
<i>metoprolol tartrate</i>	93	<i>moxifloxacin</i>	24, 172	<i>newgen</i>	213
<i>metronidazole</i>	19, 64, 117	<i>moxifloxacin-sod.ace,sul-water</i>	24	<b>NEXLETOL</b>	99
<i>metronidazole in nacl (iso-os)</i>	19	<i>moxifloxacin-sod.chloride(iso)</i>	24	<b>NEXLIZET</b>	99
<i>metyrosine</i>	96	<b>MRESVIA (PF)</b>	196	<b>NEXPLANON</b>	111
<i>micafungin</i>	63	<b>MULTAQ</b>	92	<i>niacin</i>	99
<i>miconazole-3</i>	63	<i>mupirocin</i>	117	<i>niacor</i>	99
<b>MICRODOT INSULIN PEN NEEDLE</b>	145	<b>MVASI</b>	37	<b>NICOTROL NS</b>	16
<b>MICRODOT READYGARD PEN NEEDLE</b>	145	<i>mycophenolate mofetil</i>	190	<i>nifedipine</i>	96, 97
<i>microgestin 1.5/30 (21)</i>	111	<i>mycophenolate mofetil (hcl)</i>	190	<b>NIKTIMVO</b>	190
<i>microgestin 1/20 (21)</i>	111	<i>mycophenolate sodium</i>	190	<i>nilutamide</i>	37
<i>microgestin 24 fe</i>	111			<b>NINLARO</b>	37
<i>microgestin fe 1.5/30 (28)</i>	111			<i>nitazoxanide</i>	68

<i>nitisinone</i>	170
<i>nitrofurantoin macrocrystal</i>	19
<i>nitrofurantoin monohyd/m-cryst</i>	19
<i>nitroglycerin</i>	101, 202
<i>niva-plus</i>	213
NIVESTYM	87
NORDITROPIN FLEXPRO	184
<i>norelgestromin-ethin.estradiol</i>	111
<i>norethindrone (contraceptive)</i>	111
<i>norethindrone acetate</i>	185
<i>norethindrone-e.estradiol-iron</i>	111
<i>norgestimate-ethinyl estradiol</i>	111, 112
<i>norlyda</i>	112
<i>nortrel 1/35 (21)</i>	112
<i>nortrel 1/35 (28)</i>	112
<i>nortrel 7/7/7 (28)</i>	112
<i>nortriptyline</i>	54
NORVIR	81
NOVOFINE 30	147
NOVOFINE 32	147
NOVOFINE PLUS	147
NOVOLIN 70/30 U-100 INSULIN	59
NOVOLIN 70-30 FLEXPEN U-100	59
NOVOLIN N FLEXPEN	59
NOVOLIN N NPH U-100 INSULIN	60
NOVOLIN R FLEXPEN	60
NOVOLIN R REGULAR U100 INSULIN	60
NOVOTWIST	147
NUBEQA	37
NUCALA	210
NULOJIX	190
NUPLAZID	75
NURTEC ODT	65
<i>nyamyc</i>	63
<i>nylia 1/35 (28)</i>	112
<i>nylia 7/7/7 (28)</i>	112
<i>nymyo</i>	112
<i>nystatin</i>	63
<i>nystatin-triamcinolone</i>	63
<i>nystop</i>	63
NYVEPRIA	87
<i>obstetrix dha</i>	213
<i>obstetrix dha prenatal duo</i>	213
<i>o-cal prenatal</i>	213
OCREVUS	104
OCREVUS ZUNOVO	104
<i>octreotide acetate</i>	184
ODEFSEY	81
ODOMZO	37
OFEV	210
<i>ofloxacin</i>	173
OGIVRI	37
OGSIVEO	37
OJEMDA	38
OJJAARA	38
<i>olanzapine</i>	75
<i>olmesartan</i>	90
<i>olmesartanamlodipin-hctiazid</i>	90
<i>olmesartan-hydrochlorothiazide</i>	91
<i>olopatadine</i>	171
<i>omega-3 acid ethyl esters</i>	99
<i>omeprazole</i>	176
OMNIPOD 5 (G6/LIBRE 2 PLUS)	147
OMNIPOD 5 G6-G7 INTRO KT(GEN5)	147
OMNIPOD 5 G6-G7 PODS (GEN 5)	147
OMNIPOD 5 INTRO(G6/LIBRE2PLUS)	148
OMNIPOD CLASSIC PDM KIT(GEN 3)	148
OMNIPOD CLASSIC PODS (GEN 3)	148
OMNIPOD DASH INTRO KIT (GEN 4)	148
OMNIPOD DASH PDM KIT (GEN 4)	148
OMNIPOD DASH PODS (GEN 4)	148
ONAPGO	70
<i>ondansetron</i>	67
<i>ondansetron hcl</i>	67
ONTRUZANT	38
ONUREG	38
OPDIVO	38
OPDIVO QVANTIG	38
OPDUALAG	38
OPIPZA	75
OPSUMIT	212
ORENCIA	190
ORENCIA (WITH MALTPOSE)	190
ORENCIA CLICKJECT	190
ORFADIN	170
ORGOVYX	184
ORILISSA	184
ORKAMBI	210
ORSERDU	38
<i>oseltamivir</i>	83, 84
OTEZLA	190
OTEZLA STARTER	190
<i>oxandrolone</i>	180
<i>oxcarbazepine</i>	48
<i>oxybutynin chloride</i>	179
<i>oxycodone</i>	13
<i>oxycodone-acetaminophen</i>	13
OZEMPIC	57
<i>pacerone</i>	92
<i>paclitaxel protein-bound</i>	38
<i>paliperidone</i>	75
PANRETIN	116
<i>pantoprazole</i>	176
<i>paricalcitol</i>	201
<i>paromomycin</i>	68
<i>paroxetine hcl</i>	54
PAXLOVID	84
<i>pazopanib</i>	38
PEDIARIX (PF)	196
PEDVAX HIB (PF)	196
<i>peg 3350-electrolytes</i>	178
PEGASYS	85
<i>peg-electrolyte soln</i>	178
PEMAZYRE	38
<i>pemetrexed</i>	39
<i>pemetrexed disodium</i>	38, 39
PEMRYDI RTU	39
PEN NEEDLE	148, 149
PEN NEEDLE, DIABETIC 128, 139, 145, 146, 148, 151	

PEN NEEDLE, DIABETIC, SAFETY .....	152
PENBRAYA (PF) .....	197
PENBRAYA MENACWY COMPONENT(PF) .....	197
PENBRAYA MENB COMPONENT (PF) .....	197
<i>penicillamine</i> .....	180
<i>penicillin g potassium</i> .....	23
<i>penicillin g procaine</i> .....	23
<i>penicillin v potassium</i> .....	23
PENTACEL (PF).....	197
<i>pentamidine</i> .....	69
PENTIPS PEN NEEDLE ..	149
<i>pentoxifylline</i> .....	88
<i>perampanel</i> .....	48, 49
<i>perindopril erbumine</i> .....	92
<i>periogard</i> .....	115
<i>permethrin</i> .....	120
<i>perphenazine</i> .....	75
<i>perphenazine-amitriptyline</i> ..	54
PERSERIS .....	75
<i>phenelzine</i> .....	54
<i>phenobarbital</i> .....	49
PHENYTEK .....	49
<i>phenytoin</i> .....	49
<i>phenytoin sodium</i> .....	49
<i>phenytoin sodium extended</i> ..	49
PIFELTRO .....	81
<i>pilocarpine hcl</i> .....	115, 204
<i>pimecrolimus</i> .....	119
<i>pimozide</i> .....	75
<i>pimtrea (28)</i> .....	112
<i>pioglitazone</i> .....	57
<i>pioglitazone-metformin</i> .....	57
PIP PEN NEEDLE .....	149
<i>piperacillin-tazobactam</i> .....	23
PIQRAY .....	39
<i>pirfenidone</i> .....	210
<i>pirmella</i> .....	112
<i>pitavastatin calcium</i> .....	99
PLEGRIDY .....	104, 105
<i>pnv 29-I</i> .....	213
<i>pnv-dha + docusate</i> .....	214
<i>pnv-omega</i> .....	214
<i>podofilox</i> .....	116
<i>polycin</i> .....	173
<i>polymyxin b sulf-trimethoprim</i> .....	173
POMALYST .....	39
<i>portia 28</i> .....	112
<i>posaconazole</i> .....	63
<i>potassium chloride</i> .....	205
<i>potassium citrate</i> .....	205, 206
<i>pr natal 400</i> .....	214
<i>pr natal 400 ec</i> .....	214
<i>pr natal 430</i> .....	214
<i>pr natal 430 ec</i> .....	214
<i>pramipexole</i> .....	70
<i>prasugrel hcl</i> .....	88
<i>pravastatin</i> .....	100
<i>praziquantel</i> .....	69
<i>prazosin</i> .....	90
<i>prednisolone</i> .....	182
<i>prednisolone acetate</i> .....	175
<i>prednisolone sodium</i> <i>phosphate</i> .....	182, 183
<i>prednisone</i> .....	183
<i>pregabalin</i> .....	49
PREHEVBRIO (PF) .....	197
PREMARIN .....	181, 182
PREMPHASE .....	182
PREMPRO .....	182
<i>prena1 true</i> .....	214
<i>prenaissance</i> .....	214
<i>prenaissance plus</i> .....	214
<i>prenatabs fa</i> .....	214
<i>prenatal 19</i> .....	214
<i>prenatal 19 (with docusate)</i> .....	214
<i>prenatal low iron</i> .....	214
<i>prenatal plus</i> .....	214
<i>prenatal plus (calcium carb)</i> .....	213
<i>prenatal vitamin plus low iron</i> .....	214
<i>prenatal-u</i> .....	214
<i>preplus</i> .....	214
<i>pretab</i> .....	214
<i>prevalite</i> .....	100
PREVENT DROPSAFE PEN NEEDLE .....	149
<i>previfem</i> .....	112
PREVYTMIS .....	84
PREZCOBIX .....	81
PREZISTA .....	81
PRIFTIN .....	66
PRIMAQUINE .....	69
<i>primidone</i> .....	49
PRIORIX (PF) .....	197
PRO COMFORT ALCOHOL PADS .....	150
PRO COMFORT INSULIN SYRINGE .....	149, 150
PRO COMFORT PEN NEEDLE .....	150
<i>probenecid</i> .....	64
<i>probenecid-colchicine</i> .....	64
PROCALAMINE 3% .....	89
<i>prochlorperazine</i> .....	67
<i>prochlorperazine edisylate</i> .67, 75	
<i>prochlorperazine maleate</i> ....	67
<i>procto-med hc</i> .....	119
<i>proctosol hc</i> .....	119
<i>protozone-hc</i> .....	119
PRODIGY INSULIN SYRINGE .....	150
<i>progesterone micronized</i> ...	185
PROGRAF .....	191
PROLIA .....	201
PROMACTA .....	87, 88
<i>promethazine</i> .....	67
<i>promethegan</i> .....	67
<i>propafenone</i> .....	93
<i>propranolol</i> .....	94
<i>propylthiouracil</i> .....	186
PROQUAD (PF) .....	197
<i>protriptyline</i> .....	54
PULMOZYME .....	170
PURE COMFORT ALCOHOL PADS .....	150
PURE COMFORT PEN NEEDLE .....	150, 151
PURE COMFORT SAFETY PEN NEEDLE .....	150
<i>pyrazinamide</i> .....	66
<i>pyridostigmine bromide</i> .....	202
<i>pyrimethamine</i> .....	69
QINLOCK .....	39
QUADRACEL (PF).....	197
<i>quetiapine</i> .....	75, 76
<i>quinapril</i> .....	92

<i>quinapril-hydrochlorothiazide</i>	92	<i>roflumilast</i>	210	<i>sf 5000 plus</i>	115
<i>quinidine sulfate</i>	93	<i>ROMVIMZA</i>	40	<i>sharobel</i>	113
<i>quinine sulfate</i>	69	<i>ropinirole</i>	70	<i>SHINGRIX (PF)</i>	198
<i>QULIPTA</i>	65	<i>rosadan</i>	117	<i>SIGNIFOR</i>	185
<i>RABAVERT (PF)</i>	197	<i>rosuvastatin</i>	100	<i>sildenafil</i>	212
<i>rabeprazole</i>	176	<i>ROTARIX</i>	198	<i>sildenafil (pulm.hypertension)</i>	212
<i>RALDESY</i>	54	<i>ROTAQE VACCINE</i>	198	<i>silver sulfadiazine</i>	117
<i>raloxifene</i>	182	<i>ROZLYTREK</i>	40	<i>SIMBRINZA</i>	204
<i>ramipril</i>	92	<i>RUBRACA</i>	40	<i>simliya (28)</i>	113
<i>ranolazine</i>	96	<i>rufinamide</i>	49	<i>simvastatin</i>	100
<i>rasagiline</i>	70	<i>RUKOBIA</i>	82	<i>sirolimus</i>	191
<i>RASUVO (PF)</i>	191	<i>RUXIENCE</i>	40	<i>SIRTURO</i>	66
<i>RAYALDEE</i>	201	<i>RYBELSUS</i>	57	<i>SKY SAFETY PEN NEEDLE</i>	152
<i>reclipsen (28)</i>	112	<i>RYBREVANT</i>	40	<i>SKYLA</i>	113
<i>RECOMBIVAX HB (PF)</i>	198	<i>RYDAPT</i>	40	<i>SKYRIZI</i>	191, 192
<i>RELENZA DISKHALER</i>	84	<i>RYKINDO</i>	76	<i>sodium chloride 0.45 %</i>	206
<i>repaglinide</i>	57	<i>RYTELO</i>	40	<i>sodium chloride 0.9 %</i>	206
<i>REPATHA PUSHTRONEX</i>	100	<i>SAFESNAP INSULIN</i>		<i>sodium fluoride-pot nitrate</i>	115
<i>REPATHA SURECLICK</i>	100	<i>SYRINGE</i>	151, 152	<i>sodium oxybate</i>	211
<i>REPATHA SYRINGE</i>	100	<i>SAFETY PEN NEEDLE</i>	152	<i>sodium polystyrene sulfonate</i>	177
<i>RETACRIT</i>	88	<i>SANTYL</i>	116	<i>sodium,potassium,mag sulfates</i>	178
<i>RETEVMO</i>	39	<i>sapropterin</i>	170	<i>solifenacina</i>	179
<i>RETROVIR</i>	82	<i>SAVELLA</i>	105	<i>SOLIQUA 100/33</i>	60
<i>REVUFORJ</i>	39	<i>SCEMBLIX</i>	40	<i>SOLTAMOX</i>	40
<i>REXULTI</i>	76	<i>scopolamine base</i>	68	<i>SOMATULINE DEPOT</i>	185
<i>REYATAZ</i>	82	<i>SECUADO</i>	76	<i>SOMAVERT</i>	185
<i>REZLIDHIA</i>	39	<i>SECURESAFE INSULIN</i>		<i>sorafenib</i>	40
<i>REZUROCK</i>	191	<i>SYRINGE</i>	152	<i>sorine</i>	94
<i>RHOPRESSA</i>	204	<i>SECURESAFE PEN NEEDLE</i>	152	<i>sotalol</i>	94
<i>RIABNI</i>	40	<i>SELARSDI</i>	191	<i>sotalol af</i>	94
<i>ribavirin</i>	85	<i>select-ob</i>	215	<i>SPIRIVA RESPIMAT</i>	208
<i>rifabutin</i>	66	<i>select-ob (folic acid)</i>	215	<i>spironolactone</i>	97
<i>rifampin</i>	66	<i>selegiline hcl</i>	70	<i>spironolacton-</i>	
<i>rilpivirine</i>	82	<i>selenium sulfide</i>	117	<i>hydrochlorothiaz</i>	97
<i>riluzole</i>	105	<i>SELZENTRY</i>	82	<i>SPRAVATO</i>	55
<i>RINVOQ</i>	191	<i>SEMGLEE(INSULIN</i>		<i>sprintec (28)</i>	113
<i>RINVOQ LQ</i>	191	<i>GLARGINE-YFGN)</i>	60	<i>SPRITAM</i>	50
<i>risperidone</i>	76	<i>SEMGLEE(INSULIN</i>		<i>sps (with sorbitol)</i>	177
<i>risperidone microspheres</i>	76	<i>GLARG-YFGN)PEN</i>	60	<i>sronyx</i>	113
<i>ritonavir</i>	82	<i>se-natal 19 chewable</i>	215	<i>ssd</i>	117
<i>RITUXAN HYCELA</i>	40	<i>SEREVENT DISKUS</i>	208	<i>stavudine</i>	82
<i>rivastigmine</i>	52	<i>SEROSTIM</i>	184	<i>STELARA</i>	192
<i>rivastigmine tartrate</i>	52	<i>sertraline</i>	54, 55	<i>STERILE PADS</i>	152
<i>rizatriptan</i>	65	<i>setlakin</i>	112	<i>STIOLTO RESPIMAT</i>	208
<i>r-natal ob</i>	214	<i>sevelamer carbonate</i>	179		
<i>ROCKLATAN</i>	204	<i>sevelamer hcl</i>	179		
		<i>SEZABY</i>	49		

STIVARGA .....	41
STRENSIQ .....	170
<i>streptomycin</i> .....	18
STRIBILD .....	82
STRIVERDI RESPIMAT .	208
<i>subvenite</i> .....	50
<i>sucralfate</i> .....	176
<i>sulfacetamide sodium</i> .....	173
<i>sulfacetamide-prednisolone</i> .....	173
<i>sulfadiazine</i> .....	24
<i>sulfamethoxazole-trimethoprim</i> .....	24
<i>sulfasalazine</i> .....	200
<i>sulindac</i> .....	14
<i>sumatriptan</i> .....	65
<i>sumatriptan succinate</i> ....	65, 66
<i>sunitinib malate</i> .....	41
SUNLENCA .....	82
SURE COMFORT ALCOHOL PREP PADS .....	153
SURE COMFORT INS. SYR. U-100 .....	152
SURE COMFORT INSULIN SYRINGE .....	153
SURE COMFORT PEN NEEDLE.....	153, 154
SURE COMFORT SAFETY PEN NEEDLE .....	152
SURE-FINE PEN NEEDLES .....	154
SURE-JECT INSULIN SYRINGE .....	154
SURE-PREP ALCOHOL PREP PADS .....	154
SUTAB .....	178
SYMPAZAN .....	50
SYMTUZA.....	82
SYNJARDY .....	57
SYNJARDY XR.....	57
SYNRIBO.....	41
SYRINGE WITH NEEDLE, SAFETY .....	152
TABLOID.....	41
TABRECTA .....	41
<i>tacrolimus</i> .....	119, 192
<i>tadalafil</i> .....	212
TAFINLAR .....	41
<i>tafluprost (pf)</i> .....	204
TAGRISSO .....	41
TALVEY .....	41
TALZENNA .....	41
<i>tamoxifen</i> .....	41
<i>tamsulosin</i> .....	180
<i>tarina 24 fe</i> .....	113
<i>tarina fe 1-20 eq (28)</i> .....	113
<i>taron-c dha</i> .....	215
<i>taron-prex prenatal-dha</i> .....	215
TASIGNA .....	41
TAVNEOS .....	192
<i>tazarotene</i> .....	119
<i>tazicef</i> .....	20
<i>taztia xt</i> .....	95
TAZVERIK.....	41
TDVAX.....	198
TECHLITE INSULIN SYRINGE .....	155
TECHLITE INSULN SYR(HALF UNIT) .....	154, 155
TECHLITE PEN NEEDLE .....	155, 156
TECHLITE PLUS PEN NEEDLE .....	156
TECVAYLI.....	41
TEFLARO.....	20
<i>telmisartan</i> .....	91
<i>telmisartan-hydrochlorothiazid</i> .....	91
<i>temazepam</i> .....	17
TEMIXYS .....	82
TENIVAC (PF) .....	198
<i>tenofovir disoproxil fumarate</i> .....	82
TEPMETKO .....	41
<i>terazosin</i> .....	180
<i>terbinafine hcl</i> .....	63
<i>terconazole</i> .....	64
<i>teriparatide</i> .....	201
TERUMO INSULIN SYRINGE .....	156
<i>testosterone</i> .....	180, 181
<i>testosterone cypionate</i> .....	180
<i>testosterone enanthate</i> .....	180
TETANUS,DIPHTHERIA TOX PED(PF).....	198
tetrabenazine.....	105
<i>tetracycline</i> .....	25
TEVIMBRA .....	41
THALOMID .....	202
<i>theophylline</i> .....	209
THINPRO INSULIN SYRINGE .....	156
<i>thioridazine</i> .....	76
<i>thiothixene</i> .....	76
<i>tiadylt er.</i> .....	95
<i>tiagabine</i> .....	50
TIBSOVO .....	42
TICE BCG .....	42
TICOVAC.....	198
<i>tigecycline</i> .....	25
<i>tilia fe</i> .....	113
<i>timolol</i> .....	204
<i>timolol maleate</i> .....	94, 204
<i>tinidazole</i> .....	69
<i>tiotropium bromide</i> .....	209
TIVDAK .....	42
TIVICAY .....	82, 83
TIVICAY PD .....	83
<i>tizanidine</i> .....	211
TOBI PODHALER.....	18
<i>tobramycin</i> .....	173
<i>tobramycin in 0.225 % nacl.</i> ..	18
<i>tobramycin sulfate</i> .....	18
<i>tobramycin-dexamethasone</i> ..	173
<i>tolterodine</i> .....	179
<i>tolvaptan (polycys kidney dis)</i> .....	98
TOPCARE CLICKFINE .....	157
TOPCARE ULTRA COMFORT .....	157
<i>topiramate</i> .....	50
<i>toposar</i> .....	42
<i>toremifene</i> .....	42
<i>torpenz</i> .....	42
<i>torsemide</i> .....	98
TOUJEO MAX U-300 SOLOSTAR .....	60
TOUJEO SOLOSTAR U-300 INSULIN .....	60
TRADJENTA .....	57
<i>tramadol</i> .....	13
<i>tramadol-acetaminophen</i> .....	13
<i>trandolapril</i> .....	92

<i>trandolapril-verapamil</i> .....	92
<i>tranexamic acid</i> .....	88
<i>tranylcypromine</i> .....	55
<i>travoprost</i> .....	204
TRAZIMERA.....	42
<i>trazodone</i> .....	55
TRECATOR.....	66
TRELEGY ELLIPTA.....	209
TRELSTAR.....	42
TREMFYA .....	192
TREMFYA PEN .....	192
TREMFYA PEN INDUCTION PK-CROHN .....	192
TRESIBA FLEXTOUCH U- 100 .....	60
TRESIBA FLEXTOUCH U- 200 .....	60
TRESIBA U-100 INSULIN	60
<i>tretinoin</i> .....	119
<i>tretinoin (antineoplastic)</i> ....	42
<i>tri-femynor</i> .....	113
<i>triamcinolone acetonide</i> ...	115,
119, 183	
<i>triamterene-</i> <i>hydrochlorothiazid</i> .....	98
<i>triazolam</i> .....	17
<i>trientine</i> .....	180
<i>tri-estarrylla</i> .....	113
<i>trifluoperazine</i> .....	77
<i>trifluridine</i> .....	174
<i>trihexyphenidyl</i> .....	70
TRIJARDY XR .....	58
<i>tri-legest fe</i> .....	113
<i>tri-linyah</i> .....	113
<i>tri-lo-estarrylla</i> .....	113
<i>tri-lo-marzia</i> .....	113
<i>tri-lo-mili</i> .....	113
<i>tri-lo-sprintec</i> .....	113
<i>trimethoprim</i> .....	19
<i>tri-mili</i> .....	114
<i>trimipramine</i> .....	55
TRINTELLIX.....	55
<i>tri-nymyo</i> .....	114
<i>tri-previfem (28)</i> .....	114
<i>tri-sprintec (28)</i> .....	114
TRIUMEQ .....	83
TRIUMEQ PD.....	83
<i>triveen-duo dha</i> .....	215
<i>trivora (28)</i> .....	114
<i>tri-vylibra</i> .....	114
<i>tri-vylibra lo</i> .....	114
TRIZIVIR.....	83
TROGARZO .....	83
<i>trospium</i> .....	179
TRUE COMFORT ALCOHOL PADS .....	158
TRUE COMFORT INSULIN SYRINGE .....	157, 158
TRUE COMFORT PEN NEEDLE .....	158
TRUE COMFORT PRO ALCOHOL PADS .....	158
TRUE COMFORT PRO INS SYRINGE .....	157, 158, 159
TRUE COMFORT SAFE INSULIN SYRG .....	157, 158,
159	
TRUE COMFORT SAFETY PEN NEEDLE.....	157
TRUEPLUS INSULIN .....	159,
160	
TRUEPLUS PEN NEEDLE .....	159
TRULICITY.....	58
TRUMENBA .....	199
TRUQAP.....	42
TRUXIMA .....	42
TUKYSA .....	42
TURALIO .....	42
<i>turqoz (28)</i> .....	114
TWINRIX (PF) .....	199
TYBOST .....	203
TYENNE .....	193
TYENNE AUTOINJECTOR .....	192
TYMLOS .....	201
TYPHIM VI .....	199
UBRELVY .....	66
ULTICARE .....	160, 161
ULTICARE INSULIN SYRINGE .....	160
ULTICARE INSULN SYR(HALF UNIT) .....	160
ULTICARE PEN NEEDLE .....	160, 161
ULTICARE SAFETY PEN NEEDLE.....	161
ULTIGUARD SAFEPACK- INSULIN SYR.....	161, 162
ULTIGUARD SAFEPACK- PEN NEEDLE .....	162
ULTILET ALCOHOL SWAB .....	162
ULTILET INSULIN SYRINGE .....	141, 142, 162,
163	
ULTILET PEN NEEDLE..	163
ULTRA CMFT INS SYR (HALF UNIT).....	139, 152
ULTRA COMFORT INSULIN SYRINGE ....	133,
139, 163	
ULTRA FLO INSUL SYR(HALF UNIT).....	163
ULTRA FLO INSULIN SYRINGE .....	164
ULTRA FLO PEN NEEDLE .....	163, 164
ULTRA THIN PEN NEEDLE .....	164
ULTRACARE INSULIN SYRINGE .....	164, 165
ULTRACARE PEN NEEDLE .....	165
ULTRA-FINE INS SYR (HALF UNIT).....	165
ULTRA-FINE INSULIN SYRINGE .....	165
ULTRA-FINE PEN NEEDLE .....	165
ULTRA-THIN II (SHORT) INS SYR .....	166
ULTRA-THIN II (SHORT) PEN NDL.....	166
ULTRA-THIN II INS PEN NEEDLES.....	166
ULTRA-THIN II INSULIN SYRINGE .....	166
UNIFINE OTC PEN NEEDLE .....	166
UNIFINE PEN NEEDLE ..	166
UNIFINE PENTIPS..	148, 166,
167	

UNIFINE PENTIPS	
MAXFLOW .....	167
UNIFINE PENTIPS PLUS	167
UNIFINE PENTIPS PLUS	
MAXFLOW .....	167
UNIFINE PROTECT	167
UNIFINE SAFECONTROL	
PEN NEEDLE .....	168
UNIFINE ULTRA PEN	
NEEDLE.....	168
UPTRAVI.....	212
ursodiol.....	177, 178
UZEDY.....	77
valacyclovir .....	85
VALCHLOR .....	116
valganciclovir .....	85
valproate sodium .....	50
valproic acid .....	50
valproic acid (as sodium salt)	
.....	50
valsartan .....	91
valsartan-hydrochlorothiazide	
.....	91
VALTOCO .....	50
valtya .....	114
vancomycin .....	19
VANFLYTA.....	42
VANISHPOINT INSULIN	
SYRINGE.....	168
VANISHPOINT SYRINGE	
.....	168
VAQTA (PF).....	199
varenicline tartrate .....	16
VARIVAX (PF).....	199
VAXCHORA VACCINE..	199
VEGZELMA .....	43
VELTASSA.....	178
VEMLIDY .....	83
VENCLEXTA .....	43
VENCLEXTA STARTING	
PACK .....	43
venlafaxine.....	55
VEOZAH.....	203
verapamil .....	95
VERIFINE INSULIN	
SYRINGE.....	168, 169
VERIFINE PEN NEEDLE	168,
169	
VERIFINE PLUS PEN	
NEEDLE .....	169
VERIFINE PLUS PEN	
NEEDLE-SHARP .....	169
VERQUVO .....	96
VERSACLOZ .....	77
VERSALON .....	169
VERZENIO.....	43
V-GO 20.....	169
V-GO 30.....	169
V-GO 40.....	169
vienna .....	114
vigabatrin .....	50
vigadronе .....	50, 51
vigpoder.....	51
vilazodone .....	55
VIMKUNYA .....	199
vinorelbine.....	43
viorele (28) .....	114
VIRACEPT .....	83
VIREAD.....	83
virt-c dha .....	215
virt-nate dha .....	215
virt-pn dha .....	215
virt-pn plus .....	215
vitafol gummies .....	215
vitafol nano .....	215
vitafol-ob+dha .....	215
VITRAKVI .....	43
VIVIMUSTA .....	43
VIVOTIF.....	199
VIZIMPRO .....	43
VOCABRIA .....	83
volnea (28) .....	114
VONJO.....	43
VORANIGO .....	43
voriconazole .....	63
VOSEVI .....	85
VOWST .....	203
vp-ch-pnv.....	215
vp-pnv-dha.....	215
VRAYLAR .....	77
VUMERTY .....	105
VYALEV .....	70
vylibra .....	114
VYLOY .....	43
VYZULTA.....	204
warfarin.....	87
WEBCOL .....	170
WELIREG .....	43
WINREVAIR .....	210
wixela inhub.....	207
XALKORI .....	44
xarah fe .....	114
XARELTO.....	87
XARELTO DVT-PE TREAT	
30D START.....	87
XATMEP .....	44
XCOPRI.....	51
XCOPRI MAINTENANCE	
PACK.....	51
XCOPRI TITRATION PACK	
.....	51
XDEMVY .....	174
XELJANZ .....	193
XELJANZ XR .....	193
XERMELO .....	178
XGEVA .....	201
XIFAXAN .....	19
XIGDUO XR .....	58
XiIDRA .....	175
XOLAIR .....	210, 211
XOSPATA .....	44
XPOVIO .....	44
XTANDI .....	44
xulane.....	114
XULTOPHY 100/3.6.....	61
XYOSTED .....	181
YERVOY .....	44
YESINTEK .....	193
YF-VAX (PF) .....	200
YONSA.....	45
YUFLYMA(CF) .....	193
YUFLYMA(CF) AI	
CROHN'S-UC-HS .....	193
YUFLYMA(CF)	
AUTOINJECTOR .....	193
yuvafem .....	182
zafemy .....	114
zafirlukast .....	207
zaleplon .....	211
zatean-pn dha.....	215
zatean-pn plus .....	215
ZEGALOGUE	
AUTOINJECTOR .....	203
ZEGALOGUE SYRINGE.	203

ZEJULA .....	45	ZIRABEV .....	45	ZTALMY .....	51
ZELBORAF .....	45	ZIRGAN.....	174	ZTLIDO.....	15
<i>zenatane</i> .....	116	ZOLADEX.....	45	ZURZUVAE.....	55
ZENPEP .....	171	ZOLINZA .....	45	ZYDELIG .....	45
<i>zidovudine</i> .....	83	<i>zolpidem</i> .....	212	ZYKADIA .....	45
ZIIHERA .....	45	ZONISADE.....	51	ZYLET.....	174
<i>zingiber</i> .....	215	<i>zonisamide</i> .....	51	ZYNLONTA.....	45
<i>ziprasidone hcl</i> .....	77	<i>zovia 1/35e (28)</i> .....	114	ZYNYZ.....	45
<i>ziprasidone mesylate</i> .....	77	<i>zovia 1-35 (28)</i> .....	115	ZYPREXA RELPREVV ....	78

## **Notice of Nondiscrimination and Language Assistance Services**

MyTruAdvantage complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability or sex. MyTruAdvantage does not exclude people or treat them differently because of race, color, national origin, age, disability or sex. Federal law required that we provide you with this Notice of Nondiscrimination and Language assistance services.

### **Free aids and services**

MyTruAdvantage provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

MyTruAdvantage provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact MyTruAdvantage Member Services by calling (877) 403-6035 (TTY users call 711), 24 hours a day 7 days a week.

### **To file a civil rights grievance**

If you believe that MyTruAdvantage has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability or sex, you can file a grievance with:

MyTruAdvantage  
Attention: Civil Rights Coordinator  
P.O. Box 428  
Columbus, IN 47202-0482

Toll free: (877) 403-6035 (TTY users call 711) Fax: (858) 790-6060  
[compliance@mytruadvantage.com](mailto:compliance@mytruadvantage.com)

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, MyTruAdvantage Member Services and the Civil Rights Coordinator are available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at [ocrportal.hhs.gov](http://ocrportal.hhs.gov) or by mail or phone at:

U.S. Department of Health and Human Services 200 Independence Avenue, SW Room 509F, HHH Building Washington, D.C. 20201

800.368.1019, 800.537.7697 (TDD)  
Complaint forms are available at [hhs.gov/ocr/office/file/index.html](http://hhs.gov/ocr/office/file/index.html).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al (877) 403-6035 (TTY 711).

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية متوافر لك بالمجان. اتصل برقم (877) 403-6035 (رقم هاتف الصم: 711.)

注意: 如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 (877) 403-6035 (TTY : 711)。

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số (877) 403-6035 (TTY: 711).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. (877) 403-6035 (TTY: 711)번으로 전화해 주십시오.

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: (877) 403-6035 (TTY: 711).

注意事項: 日本語を話される場合、無料の言語支援をご利用いただけます。 (877) 403-6035 (TTY:711) まで、お電話にてご連絡ください。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните (877) 403-6035 (телефон: 711).

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa (877) 403-6035 (TTY: 711).

Wann du Deitsch (Pennsylvania German/Dutch) schwetscht, kannscht du mitaus Koschte ebber gricke, ass dihr helft mit die englisch Schprooch. Ruf selli Nummer uff: Call (877) 403-6035 (TTY: 711).


ହାତିଙ୍ଗପିରକ୍ଷ - ଅନ୍ୟାନ୍ୟ ଲାଙ୍ଘାନ୍ତରିକାଃ କୁଣ୍ଡଳପିଳିକା କାହାଠିକାଃ ଅନ୍ତାର୍ଥୀ ଅଭ୍ୟାସୀ ବାଦୁରାକ୍ତିକ ଶିଖିବାକୁ ବିନ୍ଦିମାନ୍ତରିକାଃ ଫୁଲିଂଫିଟି (877) 403-6035 (TTY: 711) ଯୁଧିତେରାକୁଥିପି॥

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez (877) 403-6035 (TTY: 711).

AANDACHT: Als u nederlands spreekt, kunt u gratis gebruikmaken van de taalkundige diensten. Bel 1. (877) 403-6035 (TTY: 711).

ਵਿਧਆਨ ਵਿਦਿਤ: ਜੇ ਤੁਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਭਾਸ਼ਾ ਵਿਵਚ ਸਹਾਇਤਾ ਸੇਵਾ ਤੁਹਾਡੇ ਲਈ ਮੁਫ਼ਤ ਉਪਲਬਧ ਹੈ। (877) 403-6035 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।

ਧਾਨ ਦ: ਯद ਆਪ ਹਦੀ ਬੋਲਤੇ ਹ ਤੋ ਆਪਕੇ ਲਿਲਾਏ ਸੁਫ਼ਤ ਮ ਭਾਸ਼ਾ ਸਹਾਇਤਾ ਸੇਵਾਏ ਉਪਲਬਧ ਹ। (877) 403-6035 (TTY: 711) ਪਰ ਕਾਲ ਕਰ।



# MyTru Advantage

**MyTruAdvantage Select (HMO)**  
**MyTruAdvantage Select Plus (HMO)**  
**MyTruAdvantage Choice Plus (PPO)**

## 2025 Formulary

### List of Covered Drugs

---

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Y0150\_PBM181\_C

ID 00025249, Version Number 14

This formulary was updated on 08/01/2025.

For more recent information or other questions, please contact MyTruAdvantage's Pharmacy Member Services at (877) 403-6035 or for TTY users 711, 24 hours a day, 7 days a week, or visit [www.MyTruAdvantage.com](http://www.MyTruAdvantage.com).

The MyTruAdvantage pharmacy network includes limited lower-cost, preferred pharmacies in Indiana. The lower costs advertised in our plan materials for these pharmacies may not be available at the pharmacy you use. For up-to-date information about our network pharmacies, including whether there are any lower-cost preferred pharmacies in your area, please call Member Services at (844) 425-4280 (TTY: 711) or consult the online pharmacy directory at [www.MyTruAdvantage.com](http://www.MyTruAdvantage.com).